

Treatment Episode Data Set -- Admissions (TEDS-A), 1992

*United States Department of Health and
Human Services. Substance Abuse and
Mental Health Services Administration.
Office of Applied Studies*

Codebook



is sponsored by



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Substance Abuse and Mental Health Services Administration
Office of Applied Studies
www.samhsa.gov

Terms of Use

These data are distributed under the following terms of use. By continuing past this page, you signify your agreement to comply with the requirements as stated below:

Privacy of Research Subjects

Any intentional identification of a research subject (whether an individual or an organization) or unauthorized disclosure of his or her confidential information violates the promise of confidentiality given to the providers of the information. Disclosure of confidential information may also be punishable under federal law. Therefore, users of data agree:

- To use these datasets solely for research or statistical purposes and not for re-identification of specific research subjects.
- To make no use of the identity of any research subject discovered inadvertently and to report any such discovery to CBHSQ and SAMHDA (samhda-support@samhsa.hhs.gov)

Citing Data

You agree to reference the recommended bibliographic citation in any of your publications that use SAMHDA data. Authors of publications that use SAMHDA data are required to send citations of their published works for inclusion in a database of related publications.

Disclaimer

You acknowledge that SAMHSA will bear no responsibility for your use of the data or for your interpretations or inferences based upon such uses.

Violations

If CBHSQ determines that this terms of use agreement has been violated, then possible sanctions could include:

- Report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution. A range of sanctions are available to institutions including revocation of tenure and termination.
- If the confidentiality of human subjects has been violated, then report of the violation may be made to the Federal Office for Human Research Protections. This may result in an investigation of the user's institution, which can result in institution-wide sanctions including the suspension of all research grants.
- Report of the violation of federal law to the United States Attorney General for possible prosecution.
- Court awarded payments of damages to any individual(s)/organization(s) harmed by the breach of confidential data.

Definitions

CBHSQ

Center for Behavioral Health Statistics and Quality

Promise of confidentiality

A promise to a respondent or research participant that the information the respondent provides will not be disseminated in identifiable form without the permission of the respondent; that the fact that the respondent participated in the study will not be disclosed; and that disseminated information will include no linkages to the identity of the respondent. Such a promise encompasses traditional notions of both confidentiality and anonymity. In most cases, federal law protects the confidentiality of the respondent's identity as referenced in the Promise of Confidentiality. Under this condition, names and other identifying information regarding respondents would be confidential.

Research subject

A person or organization that participates in a research study. A research subject may also be called a respondent. A respondent is generally a survey respondent or informant, experimental or observational subject, focus group participant, or any other person providing information to a study.

SAMHDA

Substance Abuse and Mental Health Data Archive

SAMHSA

Substance Abuse and Mental Health Services Administration

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

TREATMENT EPISODE DATA SET – ADMISSIONS CODEBOOK, 1992

Introduction

This codebook is for the Treatment Episode Data Set – Admissions (TEDS-A) for admissions to substance abuse treatment occurring in 1992. TEDS-A provides demographic and substance abuse characteristics of admissions to alcohol or drug treatment in facilities that report to individual state administrative data systems.

The TEDS system is comprised of two major components, the Admissions Data Set and the Discharges Data Set. The TEDS-Admissions (TEDS-A) file is an established program; data were first reported for TEDS-A in 1992. The TEDS-D began more recently, with the first data reported in 2000. TEDS includes treatment data that are routinely collected by states to monitor their individual substance abuse treatment systems. Selected data items from the individual state data files are converted to a standardized format that is consistent across states. These standardized data constitute TEDS.

The TEDS-A is comprised of a Minimum Data Set collected by all states, and a Supplemental Data Set collected by some states. The Minimum Data Set consists of 19 items that include:

- Demographic information;
- Primary, secondary, and tertiary substances used by the subject, and their route of administration, frequency of use, and age at first use;
- Source of referral to treatment;
- Number of prior treatment episodes; and
- Service type, including planned use of medication-assisted (i.e., with methadone or buprenorphine) opioid therapy.

The 15 Supplemental Data Set items include psychiatric, social, and economic measures.

A full list of the variables can be viewed in the Variable Information and Frequency sections of this codebook.

This codebook provides background and descriptive information for the TEDS-A public-use files, limitations of the data, and frequencies. References are available detailing the data collected in each state with the TEDS data elements, including state-by-state descriptions of exceptions or anomalies in reporting practices. Users may refer to the [TEDS Crosswalks](#) available from SAMHSA. The crosswalks are frequently updated as new information becomes available.

Since 1992, the Office of Applied Studies (OAS) of the Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services (DHHS) has funded and been responsible for TEDS. It coordinates and manages the collection of TEDS data from the states. In 2010, the OAS was renamed to the Center for Behavioral Health Statistics and Quality (CBHSQ). The unit of analysis is treatment admissions to state-licensed or

certified substance abuse treatment centers that receive federal public funding.

Descriptive and analytical reports from TEDS are developed by CBHSQ to provide national and state-level data on the number and types of clients treated and the characteristics of facilities providing services.

Data Collection

The [“Treatment Episode Data Set Instruction Manual – Admissions Data”](#) is available from the SAMHSA Web site and provides complete instructions on how the TEDS-A data are processed and submitted by the states.

Confidentiality Protection

Several measures were taken to protect the confidentiality of the TEDS-A records. Variables that potentially identify an individual in their raw form underwent routine top- or bottom-coding in order to prevent high and low codes from distinguishing a respondent’s record. For example, AGE as a continuous variable has the potential to identify both the youngest and oldest participants in a public release file. Hence, AGE was recoded into 11 categories for the public-use file to reduce disclosure risk. The lowest category for age combines the ages of *12-14*. Similarly, ages of *55 and older* were top-coded. All the variables recoded are documented in Appendix B.

Disclosure analysis is used to identify records that remained unique after routine measures were taken to protect confidentiality. Disclosure analysis is used to discern combinations of indirect identifiers that potentially link an individual to a record. Particular attention was given to the analytic importance of geographic data and of subgroup populations. Consequently, data swapping was applied to the TEDS in order to satisfy stringent confidentiality standards while preserving the analytic value of the public-use file.

The original location of a record in TEDS-A cannot be known for certain due to the use of data swapping. This method has several benefits over other disclosure protection options: (1) the overall impact to the data is typically small; (2) nearly all of the data are left intact; (3) data for special populations (e.g., minorities, pregnant women) are no more impacted than other data; (4) the procedures typically do not affect any analytic uses of the file; and (5) the procedures allow greater detail to remain on the public use file (e.g., the original ethnicity codes).

Universe

The universe for TEDS-A is admissions in calendar year 1992 that were received and processed through May 11, 2004.

Coverage

The TEDS attempts to include all admissions to providers receiving public funding. Because each state or jurisdiction decides the TEDS eligibility of a provider, there is no independent check on the actual sources of funding. Although SAMHSA requests submission of TEDS data on all admissions to any publicly funded treatment facility, reporting in some state agencies is structured so that only clients treated with public funds are included in the TEDS. The number of clients in these facilities whose treatment is not publicly funded is unknown.¹

Data Limitations

The TEDS, while comprising a significant proportion of all admissions to substance abuse treatment, does not include all such admissions. The TEDS is a compilation of facility data from state administrative systems. The scope of facilities included in the TEDS is affected by differences in state licensure, certification, accreditation, and disbursement of public funds. For example, some state substance abuse agencies regulate private facilities and individual practitioners, while others do not. In some states, hospital-based substance abuse treatment facilities are not licensed through the state substance abuse agency. Some state substance abuse agencies track treatment in correctional facilities (state prisons and local jails), while others do not.

In general, facilities reporting TEDS data receive state alcohol and/or drug agency funds (including Federal Block Grant funds) for the provision of alcohol and/or drug treatment services. Most states are able to report all admissions to all eligible facilities, although some report only admissions financed by public funds. States may report data from facilities that do not receive public funds, but generally do not because of the difficulty in obtaining data from these facilities. The TEDS generally does not include data on facilities operated by federal agencies, including the Bureau of Prisons, the Department of Defense, and the Department of Veterans Affairs. However, some facilities operated by the Indian Health Service are included.

The primary goal of TEDS is to monitor the characteristics of treatment episodes for substance abusers. Implicit in the concept of treatment is a planned, continuing treatment regimen. Thus, the TEDS does not include early intervention programs; these are considered to be prevention programs. Crisis intervention facilities such as sobering-up stations and hospital emergency departments are not included in the TEDS.

The TEDS is a large and powerful data set. Like all data sets, however, care must be taken that interpretation does not extend beyond the limitations of the data. Limitations fall into two broad

¹ Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 1992-1997. National Admissions to Substance Abuse Treatment Services.* DASIS Series: S-7, DHHS Publication No. (SMA) 99-3324, Rockville, MD, 1999, 115.

categories: those related to the scope of the data collection system, and those related to the difficulties of aggregating data from highly diverse state data collection systems.²

Limitations to be kept in mind while analyzing TEDS data include:

- The number and client mix of TEDS records depends, to some extent, on external factors - including the availability of public funds. In states with higher funding levels, a larger percentage of the substance abusing population may be admitted to treatment, including the less severely impaired and the less economically disadvantaged.
- The primary, secondary, and tertiary substances of abuse reported to the TEDS are those substances that led to the treatment episode, and not necessarily a complete enumeration of all drugs used at the time of admission.
- The way an admission is defined may vary from state to state such that the absolute number of admissions is not a valid measure for comparing states.
- States continually review the quality of their data processing. As systematic errors are identified, revisions may be enacted in historical TEDS data files. While this system improves the data set over time, reported historical statistics may change slightly from year to year.
- States vary in the extent to which coercion plays a role in referral to treatment. This variation derives from criminal justice practices and differing concentrations of abuser subpopulations.
- Public funding constraints may direct states to selectively target special populations, for example, pregnant women or adolescents.
- TEDS includes treatment admissions and in many states the files may *include multiple admissions for the same client*. Therefore, any statistics derived from the data will represent admissions, not clients. It is possible for clients to have multiple initial admissions within a state and even within providers that have multiple treatment sites within the state. A few states uniquely identify clients at the state-level and several more states are attempting to achieve this level of client identification. The TEDS provides a good national snapshot of what is seen at admission to treatment, but is currently unable to follow individual clients through a sequence of treatment episodes.
- The TEDS distinguishes between "transfer admissions" and "initial admissions." Transfer admissions include clients transferred for distinct services within an episode of treatment. Only initial admissions are included on the public use files.

² Substance Abuse and Mental Health Services Administration, Office of Applied Studies. *Treatment Episode Data Set (TEDS): 2005. Discharges from Substance Abuse Treatment Services*. DASIS Series: S-41, DHHS Publication No. (SMA) 08-4312, Rockville, MD, 1999, 6.

- Some states have no Opioid Treatment Programs (OTPs) that provide medication-assisted therapy using methadone and/or buprenorphine. See the TEDS state-by-state crosswalk for information regarding data collected by each state.

Created Variables

The TEDS files contain several variables created from the original variables submitted by the states. For example, a variable was created to indicate whether each drug was included as a primary, secondary, or tertiary drug of abuse. These are called *flag* variables and labeled according to the drug, such as *alcflg* for alcohol flag variable, *cokeflg* for cocaine flag, etc.

A variable that facilitates comparison of each state to all other states is included in the Survey Documentation and Analysis (SDA) online data analysis files for TEDS. These created variables are referred to as *geographic state indicator variables* and labeled according to state name such as *AKSTATE* for Alaska and *ALSTATE* for Alabama. These variables are useful for examining characteristics of treatment in one state compared to the rest of the nation. The *state indicator variables* are not included in the downloadable data files for TEDS because they approximately double the size of the files, which are large at the outset due to the number of TEDS records. Therefore, sample SPSS programming syntax is provided below in order to create and append the state indicator variable to downloaded files:

```
* Compute TEDS state indicator for Alaska (STFIPS=2).  
  
do if (STFIPS eq 2).  
  compute AKSTATE=1.  
else.  
  compute AKSTATE=2.  
end if.  
  
variable labels  AKSTATE "ALASKA STATE INDICATOR".  
  
value labels  AKSTATE  1 "ALASKA"  2 "ALL OTHER STATES".  
  
format AKSTATE (f1.0).
```

Contents of Public-Use Files

The TEDS public use file contains Minimum, Supplemental, and Additional data for 47 states plus Puerto Rico. The following states did not report usable data for the year 1992: Arizona, Kentucky, and Mississippi. The District of Columbia did not report any usable data for 1992 either.

The TEDS Admissions public-use files are provided in ASCII rectangular format with SAS, SPSS and Stata data definition statements. SAS Transport (CPORT), SPSS System, Stata System, and ASCII Tab-delimited files are also available. Supplemental files containing optional commands are available for the SAS Transport and Stata System files. A separate codebook is provided for each year's data file. The number of observations and variables for 1992 are as follows:

Filename: da02184-0001.txt

Number of observations: 1,548,753

Number of variables: 62

Records per case: 1

Logical record length: 120

User Responsibility

Users are reminded that the data are to be used solely for statistical analysis and reporting of aggregated information and not for investigation or identification of specific individuals or organizations.

Publications

The Center for Behavioral Health Statistics and Quality has published [TEDS reports](#) on the DASIS Web site.

Treatment Episode Data Set -- Admissions (TEDS-A), 1992

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Treatment Episode Data Set -- Admissions (TEDS-A), 1992

Variable Groups

Variable Groups Containing Variables

<i>Variable Group Name</i>	<i>Variable Group Label</i>	<i>Page</i>
IDENTIFICATION	IDENTIFICATION	8
CLIENT CHARACTERISTICS	CLIENT CHARACTERISTICS	8
GEOGRAPHIC	GEOGRAPHIC	9
TREATMENT SERVICE CHARACTERISTICS	TREATMENT SERVICE CHARACTERISTICS	9
REFERRAL SOURCES	REFERRAL SOURCES	9
PRIOR SUBSTANCE ABUSE TREATMENT	PRIOR SUBSTANCE ABUSE TREATMENT	9
SUBSTANCES OF ABUSE: ORIGINAL VARIABLES	SUBSTANCES OF ABUSE: ORIGINAL VARIABLES	9
SUBSTANCES OF ABUSE: CREATED VARIABLES	SUBSTANCES OF ABUSE: CREATED VARIABLES	10
MENTAL HEALTH	MENTAL HEALTH	10
INSURANCE/PAYMENT	INSURANCE/PAYMENT	10

IDENTIFICATION

IDENTIFICATION

Variables within this Variable Group

<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
CASEID	CASE IDENTIFICATION NUMBER	11
YEAR	YEAR OF ADMISSION	11

CLIENT CHARACTERISTICS

CLIENT CHARACTERISTICS

Variables within this Variable Group

<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
AGE	AGE (RECODED)	11
GENDER	SEX	12
RACE	RACE	12
ETHNIC	ETHNICITY (HISPANIC ORIGIN)	13
MARSTAT	MARITAL STATUS	14
EDUC	EDUCATION	14
EMPLOY	EMPLOYMENT STATUS	15
DETNLF	DETAILED 'NOT IN LABOR FORCE' CATEGORY	16
PREG	PREGNANT AT TIME OF ADMISSION	16
VET	VETERAN STATUS	16
LIVARAG	LIVING ARRANGEMENT	17

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
PRIMINC	SOURCE OF INCOME/SUPPORT	18

GEOGRAPHIC

GEOGRAPHIC

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
STFIPS	CENSUS STATE FIPS CODE	18
CBSA	FIPS 2000 CBSA CODE	19
PMSA	FIPS 1990 MSA CODE	28
REGION	CENSUS REGION	36
DIVISION	CENSUS DIVISION	37

TREATMENT SERVICE CHARACTERISTICS

TREATMENT SERVICE CHARACTERISTICS

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
SERVSETA	SERVICE SETTING AT ADMISSION	38
METHUSE	MEDICATION-ASSISTED OPIOID THERAPY	39
DAYWAIT	DAYS WAITING TO ENTER TREATMENT	40

REFERRAL SOURCES

REFERRAL SOURCES

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
PSOURCE	PRINCIPAL SOURCE OF REFERRAL	40
DETCRIM	DETAILED CRIMINAL JUSTICE REFERRAL	41

PRIOR SUBSTANCE ABUSE TREATMENT

PRIOR SUBSTANCE ABUSE TREATMENT

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
NOPRIOR	NUMBER OF PRIOR TREATMENT EPISODES	42

SUBSTANCES OF ABUSE: ORIGINAL VARIABLES

SUBSTANCES OF ABUSE: ORIGINAL VARIABLES

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
SUB1	SUBSTANCE PROBLEM CODE (PRIMARY)	43
ROUTE1	USUAL ROUTE OF ADMINISTRATION (PRIMARY)	45
FREQ1	FREQUENCY OF USE (PRIMARY)	45
FRSTUSE1	AGE AT FIRST USE (PRIMARY)	45
SUB2	SUBSTANCE PROBLEM CODE (SECONDARY)	46
ROUTE2	USUAL ROUTE OF ADMINISTRATION (SECONDARY)	48
FREQ2	FREQUENCY OF USE (SECONDARY)	48
FRSTUSE2	AGE AT FIRST USE (SECONDARY)	48

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
SUB3	SUBSTANCE PROBLEM CODE (TERTIARY)	49
ROUTE3	USUAL ROUTE OF ADMINISTRATION (TERTIARY)	51
FREQ3	FREQUENCY OF USE (TERTIARY)	51
FRSTUSE3	AGE AT FIRST USE (TERTIARY)	52

**SUBSTANCES OF ABUSE:
CREATED VARIABLES**

SUBSTANCES OF ABUSE: CREATED VARIABLES

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
NUMSUBS	NUMBER OF SUBSTANCES REPORTED AT ADM.	52
IDU	CURRENT IV DRUG USE REPORTED AT ADM.	52
ALCFLG	ALCOHOL REPORTED AT ADM.	53
COKEFLG	COCAINE/CRACK REPORTED AT ADM.	53
MARFLG	MARIJUANA/HASHISH REPORTED AT ADM.	53
HERFLG	HEROIN REPORTED AT ADM.	53
METHFLG	NON-RX METHADONE REPORTED AT ADM.	54
OPSYNFLG	OTHER OPIATES/SYNTHETICS REPORTED AT ADM.	54
PCPFLG	PCP REPORTED AT ADM.	54
HALLFLG	OTHER HALLUCINOGENS REPORTED AT ADM.	54
MTHAMFLG	METHAMPHETAMINE REPORTED AT ADM.	55
AMPHFLG	OTHER AMPHETAMINES REPORTED AT ADM.	55
STIMFLG	OTHER STIMULANTS REPORTED AT ADM.	55
BENZFLG	BENZODIAZEPINES REPORTED AT ADM.	55
TRNQFLG	OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.	56
BARBFLG	BARBITURATES REPORTED AT ADM.	56
SEDHPFLG	OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.	56
INHFLG	INHALANTS REPORTED AT ADM.	56
OTCFLG	OVER-THE-COUNTER MEDICATION REPORTED AT ADM.	57
OTHERFLG	OTHER DRUG REPORTED AT ADM.	57
ALCDRUG	SUBSTANCE ABUSE TYPE	57

MENTAL HEALTH

MENTAL HEALTH

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
DSMCRIT	DSM DIAGNOSIS	58
PSYPROB	PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM	58

INSURANCE/PAYMENT

INSURANCE/PAYMENT

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
HLTHINS	HEALTH INSURANCE	59
PRIMPAY	EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT	59

CASEID CASE IDENTIFICATION NUMBER

Location: 1-8 (width: 8; decimal: 0)
 Variable Type: numeric
 Based upon 1548753 valid cases out of 1548753 total cases.

YEAR YEAR OF ADMISSION

Location: 9-12 (width: 4; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Year of client's admission to substance abuse treatment.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1992	-	1548753	100.0 %	100.0%

Based upon 1548753 valid cases out of 1548753 total cases.

AGE AGE (RECODED)

Location: 13-14 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Calculated from date of birth and date of admission and categorized.

Note: Records of clients aged 11 years old and younger or are unknown are no longer included in TEDS.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	12-14	22012	1.4 %	1.4%
3	15-17	73005	4.7 %	4.7%
4	18-20	76178	4.9 %	4.9%
5	21-24	166663	10.8 %	10.8%
6	25-29	291419	18.8 %	18.8%
7	30-34	326492	21.1 %	21.1%
8	35-39	251664	16.2 %	16.2%
9	40-44	155591	10.0 %	10.0%
10	45-49	83024	5.4 %	5.4%
11	50-54	47361	3.1 %	3.1%
12	55 AND OVER	55344	3.6 %	3.6%

Based upon 1548753 valid cases out of 1548753 total cases.

GENDER **SEX**

Location: 15-16 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Identifies client's gender.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	MALE	1112695	71.8 %	72.2%
2	FEMALE	428068	27.6 %	27.8%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	7990	0.5 %	-

Based upon 1540763 valid cases out of 1548753 total cases.

RACE **RACE**

Location: 17-18 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Specifies the client's race:

- ALASKA NATIVE (ALEUT, ESKIMO, INDIAN): Origins in any of the original people of Alaska.
- AMERICAN INDIAN (OTHER THAN ALASKA NATIVE): Origins in any of the original people of North America and South America (including Central America) and who maintain cultural identification through tribal affiliation or community attachment.
- ASIAN OR PACIFIC ISLANDER: Origins in any of the original people of the Far East, the Indian subcontinent, Southeast Asia, or the Pacific Islands.
- BLACK OR AFRICAN AMERICAN: Origins in any of the black racial groups of Africa.
- WHITE: Origins in any of the original people of Europe, North Africa, or the Middle East.
- ASIAN: Origins in any of the original people of the Far East, the Indian subcontinent, or Southeast Asia, including for example, Cambodia, China, India, Japan, Korea, Malaysia, Philippine Islands, Thailand, and Vietnam.
- OTHER SINGLE RACE: Use this category for instances in which the client is not classified in any category above or whose origin group, because of area custom, is regarded as a racial class distinct from the above categories. (Do not use this category for clients indicating multiple races.)

- TWO OR MORE RACES: Use this code when the State data system allows multiple race selection and more than one race is indicated.
- NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER: Origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands.

Guidelines: If the State does not distinguish between American Indian and Alaska Native, code both as 02, American Indian. States that can separate "Asian" and "Native Hawaiian or Other Pacific Islander" should use codes 13 and 23 for those categories. States that cannot make the separation should use the combined code 03 until the separation becomes possible. Once a state begins using codes 13 and 23, code 03 should no longer be used by that state. States are asked to convert to the new categories when possible.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ALASKA NATIVE (ALEUT, ESKIMO, INDIAN)	4625	0.3 %	0.3%
2	AMERICAN INDIAN (OTHER THAN ALASKA NATIVE)	34674	2.2 %	2.3%
3	ASIAN OR PACIFIC ISLANDER	8345	0.5 %	0.5%
4	BLACK OR AFRICAN AMERICAN	402824	26.0 %	26.5%
5	WHITE	947207	61.2 %	62.4%
20	OTHER SINGLE RACE	121082	7.8 %	8.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	29996	1.9 %	-

Based upon 1518757 valid cases out of 1548753 total cases.

ETHNIC

ETHNICITY (HISPANIC ORIGIN)

Location: 19-20 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Specifies client's specific Hispanic origin, if applicable.

- PUERTO RICAN: Of Puerto Rican origin, regardless of race.
- MEXICAN: Of Mexican origin, regardless of race.
- CUBAN: Of Cuban origin, regardless of race.
- OTHER SPECIFIC HISPANIC: Of known Central or South American or any other Spanish cultural origin (including Spain), other than Puerto Rican, Mexican, or Cuban, regardless of race.
- NOT OF HISPANIC ORIGIN:

- HISPANIC, SPECIFIC ORIGIN NOT SPECIFIED: Of Hispanic origin, but specific origin not known or not specified.

Guidelines: If a state does not collect specific Hispanic detail, code ethnicity for Hispanics as 06, "Hispanic, specific origin not specified."

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PUERTO RICAN	48808	3.2 %	3.4%
2	MEXICAN	72818	4.7 %	5.1%
3	CUBAN	4537	0.3 %	0.3%
4	OTHER SPECIFIC HISPANIC	26904	1.7 %	1.9%
5	NOT OF HISPANIC ORIGIN	1281960	82.8 %	89.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	113726	7.3 %	-

Based upon 1435027 valid cases out of 1548753 total cases.

MARSTAT

MARITAL STATUS

Location: 21-22 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Describes the client's marital status. The following categories are compatible with the U.S. Census.

- NEVER MARRIED: Includes clients whose only marriage was annulled.
- NOW MARRIED: Includes those living together as married.
- SEPARATED: Includes those separated legally or otherwise absent from spouse because of marital discord.
- DIVORCED, WIDOWED

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NEVER MARRIED	580003	37.4 %	49.6%
2	NOW MARRIED	250840	16.2 %	21.5%
3	SEPARATED	98765	6.4 %	8.5%
4	DIVORCED, WIDOWED	239170	15.4 %	20.5%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	379975	24.5 %	-

Based upon 1168778 valid cases out of 1548753 total cases.

EDUC

EDUCATION

Location: 23-24 (width: 2; decimal: 0)

Variable Type: numeric

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	FULL TIME	383166	24.7 %	26.4%
2	PART TIME	99312	6.4 %	6.8%
3	UNEMPLOYED	407030	26.3 %	28.0%
4	NOT IN LABOR FORCE	562700	36.3 %	38.7%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	96545	6.2 %	-

Based upon 1452208 valid cases out of 1548753 total cases.

DETNLF DETAILED 'NOT IN LABOR FORCE' CATEGORY

Location: 27-28 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: This field gives more detailed information about those clients who are coded as "not in the labor force" in the Minimum Data Set field for "Employment Status" (EMPLOY).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	HOMEMAKER	24175	1.6 %	9.8%
2	STUDENT	52468	3.4 %	21.3%
3	RETIRED, DISABLED	51402	3.3 %	20.9%
5	INMATE OF INSTITUTION	15078	1.0 %	6.1%
6	OTHER	103011	6.7 %	41.9%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1302619	84.1 %	-

Based upon 246134 valid cases out of 1548753 total cases.

PREG PREGNANT AT TIME OF ADMISSION

Location: 29-30 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Specifies whether the client was pregnant at the time of admission.

 Guidelines: All male respondents were recoded to missing for this variable due to the item being not applicable.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	16417	1.1 %	5.1%
2	NO	304778	19.7 %	94.9%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1227558	79.3 %	-

Based upon 321195 valid cases out of 1548753 total cases.

VET VETERAN STATUS

Location: 31-32 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Specifies whether the client has served in the uniformed services (Army, Navy, Air Force, Marines, Coast Guard, Public Health Service Commissioned Corps, Coast and Geodetic Survey, etc).

Guidelines: A veteran is a person 16 years or over who has served (even for a short time), but is not now serving, on active duty in the US Army, Navy, Marine Corps, Coast Guard, or Commissioned Corps of the US Public Health Service or National Oceanic and Atmospheric Administration, or who served as a Merchant Marine seaman during World War II. Persons who served in the National Guard or Military Reserves are classified as veterans only if they were ever called or ordered to active duty, not counting the 4-6 months for initial training or yearly summer camps.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	97323	6.3 %	12.3%
2	NO	695916	44.9 %	87.7%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	755514	48.8 %	-

Based upon 793239 valid cases out of 1548753 total cases.

LIVARAG LIVING ARRANGEMENT

Location: 33-34 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

Specifies whether the client is homeless, living with parents, living in a supervised setting, or living independently on his or her own.

- HOMELESS: Clients with no fixed address; includes shelters.
- DEPENDENT LIVING: Clients living in a supervised setting such as a residential institution, halfway house or group home, and children (under age 18) living with parents, relatives, or guardians or in foster care.
- INDEPENDENT LIVING: Clients living alone or with others without supervision. Includes adult children (age 18 or over) living with parents.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	HOMELESS	158633	10.2 %	15.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	DEPENDENT LIVING	230499	14.9 %	21.9%
3	INDEPENDENT LIVING	662658	42.8 %	63.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	496963	32.1 %	-

Based upon 1051790 valid cases out of 1548753 total cases.

PRIMINC SOURCE OF INCOME/SUPPORT

Location: 35-36 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Identifies the client's principal source of financial support. For children under 18, this field indicates the parent's primary source of income/support.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	WAGES/SALARY	235486	15.2 %	38.7%
2	PUBLIC ASSISTANCE	130107	8.4 %	21.4%
3	RETIREMENT/PENSION, DISABILITY	29128	1.9 %	4.8%
20	OTHER	111915	7.2 %	18.4%
21	NONE	101535	6.6 %	16.7%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	940582	60.7 %	-

Based upon 608171 valid cases out of 1548753 total cases.

STFIPS CENSUS STATE FIPS CODE

Location: 37-38 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: State FIPS codes consistent with those used by the U.S. Bureau of the Census.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ALABAMA	15569	1.0 %	1.0%
2	ALASKA	5723	0.4 %	0.4%
5	ARKANSAS	7130	0.5 %	0.5%
6	CALIFORNIA	153927	9.9 %	9.9%
8	COLORADO	53309	3.4 %	3.4%
9	CONNECTICUT	39426	2.5 %	2.5%
10	DELAWARE	5115	0.3 %	0.3%
12	FLORIDA	75308	4.9 %	4.9%
13	GEORGIA	29741	1.9 %	1.9%
15	HAWAII	3479	0.2 %	0.2%
16	IDAHO	2793	0.2 %	0.2%
17	ILLINOIS	56089	3.6 %	3.6%
18	INDIANA	17467	1.1 %	1.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
19	IOWA	12129	0.8 %	0.8%
20	KANSAS	22222	1.4 %	1.4%
22	LOUISIANA	25280	1.6 %	1.6%
23	MAINE	9123	0.6 %	0.6%
24	MARYLAND	57867	3.7 %	3.7%
25	MASSACHUSETTS	54651	3.5 %	3.5%
26	MICHIGAN	75388	4.9 %	4.9%
27	MINNESOTA	28511	1.8 %	1.8%
29	MISSOURI	23706	1.5 %	1.5%
30	MONTANA	7264	0.5 %	0.5%
31	NEBRASKA	18353	1.2 %	1.2%
32	NEVADA	7178	0.5 %	0.5%
33	NEW HAMPSHIRE	2116	0.1 %	0.1%
34	NEW JERSEY	63575	4.1 %	4.1%
35	NEW MEXICO	8211	0.5 %	0.5%
36	NEW YORK	220372	14.2 %	14.2%
37	NORTH CAROLINA	44226	2.9 %	2.9%
38	NORTH DAKOTA	2428	0.2 %	0.2%
39	OHIO	62582	4.0 %	4.0%
40	OKLAHOMA	17479	1.1 %	1.1%
41	OREGON	41486	2.7 %	2.7%
42	PENNSYLVANIA	33628	2.2 %	2.2%
44	RHODE ISLAND	10183	0.7 %	0.7%
45	SOUTH CAROLINA	33052	2.1 %	2.1%
46	SOUTH DAKOTA	9675	0.6 %	0.6%
47	TENNESSEE	12418	0.8 %	0.8%
48	TEXAS	47035	3.0 %	3.0%
49	UTAH	14420	0.9 %	0.9%
50	VERMONT	5470	0.4 %	0.4%
51	VIRGINIA	31044	2.0 %	2.0%
53	WASHINGTON	40979	2.6 %	2.6%
54	WEST VIRGINIA	8941	0.6 %	0.6%
55	WISCONSIN	11004	0.7 %	0.7%
56	WYOMING	5154	0.3 %	0.3%
72	PUERTO RICO	16527	1.1 %	1.1%

Based upon 1548753 valid cases out of 1548753 total cases.

CBSA

FIPS 2000 CBSA CODE

Location:

39-43 (width: 5; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M): -9

Question:

The term "Core Based Statistical Area" (CBSA) is a collective term for both metro and micro areas. Metropolitan and micropolitan statistical areas (metro and micro areas) are geographic entities defined by the U.S. Office of Management and Budget (OMB) for use by Federal statistical agencies in collecting, tabulating, and publishing Federal statistics. A metro area contains a core urban area of 50,000 or more population, and a micro area contains an urban core of at least 10,000 (but less than 50,000) population. Each metro or micro area consists of one or more counties and includes the counties containing the core urban area, as well as any adjacent counties that have a high degree of social and economic integration (as measured by commuting to work) with the urban core.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
10180	ABILENE, TX METRO	870	0.1 %	0.1%
10380	AGUADILLA-ISABELA-SAN SEBASTIAN, PR METRO	511	0.0 %	0.0%
10420	AKRON, OH METRO	4923	0.3 %	0.4%
10500	ALBANY, GA METRO	573	0.0 %	0.0%
10580	ALBANY-SCHENECTADY-TROY, NY METRO	12997	0.8 %	1.0%
10740	ALBUQUERQUE, NM METRO	2243	0.1 %	0.2%
10780	ALEXANDRIA, LA METRO	3290	0.2 %	0.3%
10880	ALLEGAN, MI MICRO	783	0.1 %	0.1%
10900	ALLENTOWN-BETHLEHEM-EASTON, PA-NJ METRO	3013	0.2 %	0.2%
11020	ALTOONA, PA METRO	4	0.0 %	0.0%
11100	AMARILLO, TX METRO	737	0.0 %	0.1%
11260	ANCHORAGE, AK METRO	1959	0.1 %	0.2%
11300	ANDERSON, IN METRO	123	0.0 %	0.0%
11340	ANDERSON, SC METRO	1399	0.1 %	0.1%
11460	ANN ARBOR, MI METRO	2060	0.1 %	0.2%
11500	ANNISTON-OXFORD, AL METRO	652	0.0 %	0.1%
11540	APPLETON, WI METRO	307	0.0 %	0.0%
11700	ASHEVILLE, NC METRO	3262	0.2 %	0.3%
11780	ASHTABULA, OH MICRO	571	0.0 %	0.0%
12020	ATHENS-CLARKE COUNTY, GA METRO	1016	0.1 %	0.1%
12060	ATLANTA-SANDY SPRINGS-MARIETTA, GA METRO	12370	0.8 %	1.0%
12100	ATLANTIC CITY, NJ METRO	1874	0.1 %	0.1%
12220	AUBURN-OPELIKA, AL METRO	365	0.0 %	0.0%
12260	AUGUSTA-RICHMOND COUNTY, GA-SC METRO	3442	0.2 %	0.3%
12420	AUSTIN-ROUND ROCK, TX METRO	5155	0.3 %	0.4%
12540	BAKERSFIELD, CA METRO	3089	0.2 %	0.2%
12580	BALTIMORE-TOWSON, MD METRO	31922	2.1 %	2.5%
12700	BARNSTABLE TOWN, MA METRO	2550	0.2 %	0.2%
12940	BATON ROUGE, LA METRO	4712	0.3 %	0.4%
12980	BATTLE CREEK, MI METRO	945	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
13020	BAY CITY, MI METRO	951	0.1 %	0.1%
13140	BEAUMONT-PORT ARTHUR, TX METRO	1273	0.1 %	0.1%
13380	BELLINGHAM, WA METRO	1078	0.1 %	0.1%
13740	BILLINGS, MT METRO	964	0.1 %	0.1%
13780	BINGHAMTON, NY METRO	2906	0.2 %	0.2%
13820	BIRMINGHAM-HOOVER, AL METRO	4402	0.3 %	0.3%
14020	BLOOMINGTON, IN METRO	957	0.1 %	0.1%
14060	BLOOMINGTON-NORMAL, IL METRO	1043	0.1 %	0.1%
14260	BOISE CITY-NAMPA, ID METRO	921	0.1 %	0.1%
14460	BOSTON-CAMBRIDGE-QUINCY, MA-NH METRO	31023	2.0 %	2.4%
14500	BOULDER, CO METRO	3210	0.2 %	0.3%
14740	BREMERTON-SILVERDALE, WA METRO	2266	0.1 %	0.2%
14860	BRIDGEPORT-STAMFORD-NORWALK, CT METRO	7745	0.5 %	0.6%
15180	BROWNSVILLE-HARLINGEN, TX METRO	841	0.1 %	0.1%
15380	BUFFALO-CHEEKTOWAGA-TONAWANDA, NY METRO	17642	1.1 %	1.4%
15500	BURLINGTON, NC METRO	762	0.0 %	0.1%
15540	BURLINGTON-SOUTH BURLINGTON, VT METRO	2249	0.1 %	0.2%
15940	CANTON-MASSILLON, OH METRO	4003	0.3 %	0.3%
15980	CAPE CORAL-FORT MYERS, FL METRO	2194	0.1 %	0.2%
16300	CEDAR RAPIDS, IA METRO	1344	0.1 %	0.1%
16580	CHAMPAIGN-URBANA, IL METRO	1190	0.1 %	0.1%
16620	CHARLESTON, WV METRO	1541	0.1 %	0.1%
16700	CHARLESTON-NORTH CHARLESTON, SC METRO	4515	0.3 %	0.4%
16740	CHARLOTTE-GASTONIA-CONCORD, NC-SC METRO	7854	0.5 %	0.6%
16820	CHARLOTTESVILLE, VA METRO	497	0.0 %	0.0%
16860	CHATTANOOGA, TN-GA METRO	1541	0.1 %	0.1%
16980	CHICAGO-NAPERVILLE-JOLIET, IL-IN-WI METRO	35840	2.3 %	2.8%
17020	CHICO, CA METRO	692	0.0 %	0.1%
17140	CINCINNATI-MIDDLETOWN, OH-KY-IN METRO	5976	0.4 %	0.5%
17300	CLARKSVILLE, TN-KY METRO	148	0.0 %	0.0%
17460	CLEVELAND-ELYRIA-MENTOR, OH METRO	11656	0.8 %	0.9%
17780	COLLEGE STATION-BRYAN, TX METRO	301	0.0 %	0.0%
17820	COLORADO SPRINGS, CO METRO	4237	0.3 %	0.3%
17860	COLUMBIA, MO METRO	719	0.0 %	0.1%
17900	COLUMBIA, SC METRO	4466	0.3 %	0.4%
17980	COLUMBUS, GA-AL METRO	1034	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
18140	COLUMBUS, OH METRO	7466	0.5 %	0.6%
18580	CORPUS CHRISTI, TX METRO	1783	0.1 %	0.1%
19060	CUMBERLAND, MD-WV METRO	952	0.1 %	0.1%
19100	DALLAS-FORT WORTH-ARLINGTON, TX METRO	8400	0.5 %	0.7%
19260	DANVILLE, VA METRO	584	0.0 %	0.0%
19300	DAPHNE-FAIRHOPE, AL MICRO	223	0.0 %	0.0%
19340	DAVENPORT-MOLINE-ROCK ISLAND, IA-IL METRO	3365	0.2 %	0.3%
19380	DAYTON, OH METRO	4677	0.3 %	0.4%
19460	DECATUR, AL METRO	367	0.0 %	0.0%
19500	DECATUR, IL METRO	285	0.0 %	0.0%
19660	DELTONA-DAYTONA BEACH-ORMOND BEACH, FL METRO	2153	0.1 %	0.2%
19740	DENVER-AURORA, CO METRO	32200	2.1 %	2.5%
19780	DES MOINES, IA METRO	825	0.1 %	0.1%
19820	DETROIT-WARREN-LIVONIA, MI METRO	26872	1.7 %	2.1%
20020	DOTHAN, AL METRO	688	0.0 %	0.1%
20100	DOVER, DE METRO	310	0.0 %	0.0%
20260	DULUTH, MN-WI METRO	1634	0.1 %	0.1%
20500	DURHAM, NC METRO	1688	0.1 %	0.1%
20620	EAST LIVERPOOL-SALEM, OH MICRO	613	0.0 %	0.0%
20740	EAU CLAIRE, WI METRO	355	0.0 %	0.0%
21140	ELKHART-GOSHEN, IN METRO	550	0.0 %	0.0%
21340	EL PASO, TX METRO	2788	0.2 %	0.2%
21500	ERIE, PA METRO	1371	0.1 %	0.1%
21660	EUGENE-SPRINGFIELD, OR METRO	5229	0.3 %	0.4%
21780	EVANSVILLE, IN-KY METRO	2055	0.1 %	0.2%
22020	FARGO, ND-MN METRO	673	0.0 %	0.1%
22180	FAYETTEVILLE, NC METRO	1703	0.1 %	0.1%
22220	FAYETTEVILLE-SPRINGDALE-ROGERS, AR-MO METRO	877	0.1 %	0.1%
22420	FLINT, MI METRO	3740	0.2 %	0.3%
22460	FLORENCE, AL METRO	705	0.0 %	0.1%
22500	FLORENCE, SC METRO	1582	0.1 %	0.1%
22660	FORT COLLINS-LOVELAND, CO METRO	427	0.0 %	0.0%
22900	FORT SMITH, AR-OK METRO	212	0.0 %	0.0%
23020	FORT WALTON BEACH-CRESTVIEW-DESTIN, FL METRO	1425	0.1 %	0.1%
23060	FORT WAYNE, IN METRO	975	0.1 %	0.1%
23420	FRESNO, CA METRO	6019	0.4 %	0.5%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
23460	GADSDEN, AL METRO	819	0.1 %	0.1%
23540	GAINESVILLE, FL METRO	1165	0.1 %	0.1%
24020	GLENS FALLS, NY METRO	1323	0.1 %	0.1%
24140	GOLDSBORO, NC METRO	733	0.0 %	0.1%
24300	GRAND JUNCTION, CO METRO	1410	0.1 %	0.1%
24340	GRAND RAPIDS-WYOMING, MI METRO	7777	0.5 %	0.6%
24540	GREELEY, CO METRO	2961	0.2 %	0.2%
24580	GREEN BAY, WI METRO	56	0.0 %	0.0%
24660	GREENSBORO-HIGH POINT, NC METRO	2698	0.2 %	0.2%
24780	GREENVILLE, NC METRO	2353	0.2 %	0.2%
24860	GREENVILLE, SC METRO	3852	0.2 %	0.3%
25180	HAGERSTOWN-MARTINSBURG, MD-WV METRO	2030	0.1 %	0.2%
25420	HARRISBURG-CARLISLE, PA METRO	2017	0.1 %	0.2%
25540	HARTFORD-WEST HARTFORD-EAST HARTFORD, CT METRO	17606	1.1 %	1.4%
25860	HICKORY-MORGANTON-LENOIR, NC METRO	2569	0.2 %	0.2%
26100	HOLLAND-GRAND HAVEN, MI METRO	1739	0.1 %	0.1%
26180	HONOLULU, HI METRO	2987	0.2 %	0.2%
26380	HOUMA-BAYOU CANE-THIBODAU, LA METRO	1351	0.1 %	0.1%
26420	HOUSTON-BAYTOWN-SUGAR LAND, TX METRO	10722	0.7 %	0.8%
26580	HUNTINGTON-ASHLAND, WV-KY-OH METRO	1686	0.1 %	0.1%
26620	HUNTSVILLE, AL METRO	601	0.0 %	0.0%
26900	INDIANAPOLIS, IN METRO	4507	0.3 %	0.4%
26980	IOWA CITY, IA METRO	929	0.1 %	0.1%
27100	JACKSON, MI METRO	639	0.0 %	0.1%
27180	JACKSON, TN METRO	1397	0.1 %	0.1%
27260	JACKSONVILLE, FL METRO	4372	0.3 %	0.3%
27340	JACKSONVILLE, NC METRO	693	0.0 %	0.1%
27460	JAMESTOWN-DUNKIRK-FREDONIA, NY MICRO	1105	0.1 %	0.1%
27500	JANESVILLE, WI METRO	3	0.0 %	0.0%
27740	JOHNSON, CITYTN METRO	604	0.0 %	0.0%
27780	JOHNSTOWN, PA METRO	129	0.0 %	0.0%
27900	JOPLIN, MO METRO	1068	0.1 %	0.1%
28020	KALAMAZOO-PORTAGE, MI METRO	4638	0.3 %	0.4%
28100	KANKAKEE-BRADLEY, IL METRO	442	0.0 %	0.0%
28140	KANSAS CITY, MO-KS METRO	7813	0.5 %	0.6%
28420	KENNEWICK-RICHLAND-PASCO, WA METRO	843	0.1 %	0.1%
28660	KILLEEN-TEMPLE-FORT HOOD, TX METRO	600	0.0 %	0.0%
28700	KINGSPORT-BRISTOL, TN-VA METRO	1119	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
28940	KNOXVILLE, TN METRO	1455	0.1 %	0.1%
29100	LA CROSSE, WI-MN METRO	183	0.0 %	0.0%
29140	LAFAYETTE, IN METRO	465	0.0 %	0.0%
29180	LAFAYETTE, LA METRO	522	0.0 %	0.0%
29340	LAKE CHARLES, LA METRO	1419	0.1 %	0.1%
29460	LAKELAND-WINTER HAVEN, FL METRO	1475	0.1 %	0.1%
29540	LANCASTER, PA METRO	1138	0.1 %	0.1%
29620	LANSING-EAST LANSING, MI METRO	3633	0.2 %	0.3%
29700	LAREDO, TX METRO	380	0.0 %	0.0%
29740	LAS CRUCES, NM METRO	482	0.0 %	0.0%
29820	LAS VEGAS-PARADISE, NV METRO	4397	0.3 %	0.3%
30020	LAWTON, OK METRO	853	0.1 %	0.1%
30140	LEBANON, PA METRO	118	0.0 %	0.0%
30540	LEXINGTON-THOMASVILLE, NC MICRO	758	0.0 %	0.1%
30620	LIMA, OH METRO	810	0.1 %	0.1%
30700	LINCOLN, NE METRO	7607	0.5 %	0.6%
30780	LITTLE ROCK-NORTH LITTLE ROCK, AR METRO	1613	0.1 %	0.1%
30980	LONGVIEW, TX METRO	496	0.0 %	0.0%
31100	LOS ANGELES-LONG BEACH-SANTA ANA, CA METRO	50301	3.2 %	4.0%
31140	LOUISVILLE, KY-IN METRO	940	0.1 %	0.1%
31180	LUBBOCK, TX METRO	1132	0.1 %	0.1%
31340	LYNCHBURG, VA METRO	1149	0.1 %	0.1%
31420	MACON, GA METRO	1096	0.1 %	0.1%
31460	MADERA, CA METRO	533	0.0 %	0.0%
31540	MADISON, WI METRO	21	0.0 %	0.0%
31700	MANCHESTER-NASHUA, NH METRO	631	0.0 %	0.0%
31900	MANSFIELD, OH METRO	801	0.1 %	0.1%
32420	MAYAGUEZ, PR METRO	1324	0.1 %	0.1%
32580	MCALLEN-EDINBURG-PHARR, TX METRO	879	0.1 %	0.1%
32780	MEDFORD, OR METRO	3083	0.2 %	0.2%
32820	MEMPHIS, TN-MS-AR METRO	2089	0.1 %	0.2%
32900	MERCED, CA METRO	884	0.1 %	0.1%
33100	MIAMI-FORT LAUDERDALE-MIAMI BEACH, FL METRO	24622	1.6 %	1.9%
33260	MIDLAND, TX METRO	334	0.0 %	0.0%
33340	MILWAUKEE-WAUKESHA-WEST ALLIS, WI METRO	692	0.0 %	0.1%
33460	MINNEAPOLIS-ST. PAUL-BLOOMINGTON, MN-WI METRO	17486	1.1 %	1.4%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
33660	MOBILE, AL METRO	1264	0.1 %	0.1%
33700	MODESTO, CA METRO	2140	0.1 %	0.2%
33740	MONROE, LA METRO	1264	0.1 %	0.1%
33780	MONROE, MI METRO	864	0.1 %	0.1%
33860	MONTGOMERY, AL METRO	1695	0.1 %	0.1%
34620	MUNCIE, IN METRO	1358	0.1 %	0.1%
34740	MUSKEGON-NORTON SHORES, MI METRO	2290	0.1 %	0.2%
34820	MYRTLE BEACH-CONWAY-NORTH MYRTLE BEACH, SC METRO	872	0.1 %	0.1%
34900	NAPA, CA METRO	537	0.0 %	0.0%
34940	NAPLES-MARCO ISLAND, FL METRO	1789	0.1 %	0.1%
34980	NASHVILLE-DAVIDSON--MURFREESBORO, TN METRO	2505	0.2 %	0.2%
35300	NEW HAVEN-MILFORD, CT METRO	6002	0.4 %	0.5%
35380	NEW ORLEANS-METAIRIE-KENNER, LA METRO	6465	0.4 %	0.5%
35620	NEW YORK-NEWARK-EDISON, NY-NJ-PA METRO	173175	11.2 %	13.7%
35660	NILES-BENTON HARBOR, MI METRO	1365	0.1 %	0.1%
35980	NORWICH-NEW LONDON, CT METRO	4510	0.3 %	0.4%
36100	OCALA, FL METRO	2148	0.1 %	0.2%
36140	OCEAN CITY, NJ METRO	870	0.1 %	0.1%
36220	ODESSA, TX METRO	736	0.0 %	0.1%
36260	OGDEN-CLEARFIELD, UT METRO	2533	0.2 %	0.2%
36420	OKLAHOMA CITY, OK METRO	6615	0.4 %	0.5%
36500	OLYMPIA, WA METRO	813	0.1 %	0.1%
36540	OMAHA-COUNCIL BLUFFS, NE-IA METRO	6043	0.4 %	0.5%
36740	ORLANDO, FL METRO	7995	0.5 %	0.6%
36780	OSHKOSH-NEENAH, WI METRO	259	0.0 %	0.0%
37100	OXNARD-VENTURA-THOUSAND OAKS VENTURA, CA METRO	3191	0.2 %	0.3%
37340	PALM BAY-MELBOURNE-TITUSVILLE, FL METRO	1149	0.1 %	0.1%
37460	PANAMA CITY-LYNN HAVEN, FL METRO	632	0.0 %	0.0%
37620	PARKERSBURG-MARIETTA, WV-OH METRO	852	0.1 %	0.1%
37860	PENSACOLA-FERRY PASS-BRENT, FL METRO	1448	0.1 %	0.1%
37900	PEORIA, IL METRO	1674	0.1 %	0.1%
37980	PHILADELPHIA-CAMDEN-WILMINGTON, PA-NJ-DE-M METRO	22693	1.5 %	1.8%
38300	PITTSBURGH, PA METRO	5780	0.4 %	0.5%
38660	PONCE, PR METRO	2261	0.1 %	0.2%
38860	PORTLAND-SOUTH PORTLAND, ME METRO	1998	0.1 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
38900	PORTLAND-VANCOUVER-BEAVERTON, OR-WA METRO	17879	1.2 %	1.4%
38940	PORT ST. LUCIE, FL METRO	1602	0.1 %	0.1%
39100	POUGHKEEPSIE-NEWBURGH-MIDDLETOWN, NY METRO	10058	0.6 %	0.8%
39300	PROVIDENCE-NEW BEDFORD-FALL RIVER, RI-MA METRO	14449	0.9 %	1.1%
39340	PROVO-OREM, UT METRO	316	0.0 %	0.0%
39380	PUEBLO, CO METRO	4645	0.3 %	0.4%
39460	PUNTA GORDA, FL METRO	289	0.0 %	0.0%
39540	RACINE, WI METRO	586	0.0 %	0.0%
39580	RALEIGH-CARY, NC METRO	3080	0.2 %	0.2%
39740	READING, PA METRO	1402	0.1 %	0.1%
39820	REDDING, CA METRO	663	0.0 %	0.1%
39900	RENO-SPARKS, NV METRO	1400	0.1 %	0.1%
40060	RICHMOND, VA METRO	2245	0.1 %	0.2%
40140	RIVERSIDE-SAN BERNARDINO-ONTARIO, CA METRO	13549	0.9 %	1.1%
40220	ROANOKE, VA METRO	1661	0.1 %	0.1%
40340	ROCHESTER, MN METRO	412	0.0 %	0.0%
40380	ROCHESTER, NY METRO	10193	0.7 %	0.8%
40420	ROCKFORD, IL METRO	1497	0.1 %	0.1%
40580	ROCKY MOUNT, NC METRO	1015	0.1 %	0.1%
40900	SACRAMENTO--ARDEN-ARCADE--ROSEVILLE, CA METRO	8574	0.6 %	0.7%
40980	SAGINAW-SAGINZW TOWNSHIP NORTH, MI METRO	1490	0.1 %	0.1%
41060	SAINT CLOUD, MN METRO	808	0.1 %	0.1%
41140	SAINT JOSEPH, MO-KS METRO	952	0.1 %	0.1%
41180	SAINT LOUIS, MO-IL METRO	8490	0.5 %	0.7%
41420	SALEM, OR METRO	3640	0.2 %	0.3%
41500	SALINAS, CA METRO	1199	0.1 %	0.1%
41580	SALISBURY, NC MICRO	6	0.0 %	0.0%
41620	SALT LAKE CITY, UT METRO	9834	0.6 %	0.8%
41660	SAN ANGELO, TX METRO	333	0.0 %	0.0%
41700	SAN ANTONIO, TX METRO	3192	0.2 %	0.3%
41740	SAN DIEGO-CARLSBAD-SAN MARCOS, CA METRO	11782	0.8 %	0.9%
41860	SAN FRANCISCO-OAKLAND-FREMONT, CA METRO	25217	1.6 %	2.0%
41940	SAN JOSE-SUNNYVALE-SANTA CLARA, CA METRO	6028	0.4 %	0.5%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
41980	SAN JUAN-CAGUAS-GUAYNABO, PR METRO	11567	0.7 %	0.9%
42020	SAN LUIS OBISPO-PASO ROBLES, CA METRO	643	0.0 %	0.1%
42060	SANTA BARBARA-SANTA MARIA-GOLETA, CA METRO	2244	0.1 %	0.2%
42100	SANTA CRUZ-WATSONVILLE, CA METRO	1829	0.1 %	0.1%
42140	SANTA FE, NM METRO	561	0.0 %	0.0%
42220	SANTA ROSA, CA METRO	3848	0.2 %	0.3%
42260	SARASOTA-BRADENTON-VENICE, FL METRO	1879	0.1 %	0.1%
42340	SAVANNAH, GA METRO	1923	0.1 %	0.2%
42540	SCRANTON--WILKES-BARRE-, PA METRO	1305	0.1 %	0.1%
42660	SEATTLE-TACOMA-BELLEVUE, WA METRO	20082	1.3 %	1.6%
43100	SHEBOYGAN, WI METRO	303	0.0 %	0.0%
43300	SHERMAN-DENISON, TX METRO	160	0.0 %	0.0%
43340	SHREVEPORT-BOSSIER CITY, LA METRO	1795	0.1 %	0.1%
43580	SIOUX CITY, IA-NE-SD METRO	1114	0.1 %	0.1%
43620	SIOUX FALLS, SD METRO	2038	0.1 %	0.2%
43780	SOUTH BEND-MISHAWAKA, IN-MI METRO	989	0.1 %	0.1%
43900	SPARTANBURG, SC METRO	1949	0.1 %	0.2%
44060	SPOKANE, WA METRO	4698	0.3 %	0.4%
44100	SPRINGFIELD, IL METRO	1242	0.1 %	0.1%
44140	SPRINGFIELD, MA METRO	6870	0.4 %	0.5%
44180	SPRINGFIELD, MO METRO	2338	0.2 %	0.2%
44220	SPRINGFIELD, OH METRO	1278	0.1 %	0.1%
44300	STATE COLLEGE, PA METRO	384	0.0 %	0.0%
44700	STOCKTON, CA METRO	1684	0.1 %	0.1%
44940	SUMTER, SC METRO	978	0.1 %	0.1%
45060	SYRACUSE, NY METRO	11252	0.7 %	0.9%
45220	TALLAHASSEE, FL METRO	1492	0.1 %	0.1%
45300	TAMPA-ST. PETERSBURG-CLEARWATER, FL METRO	13481	0.9 %	1.1%
45460	TERRE HAUTE, IN METRO	12	0.0 %	0.0%
45500	TEXARKANA TX-TEXARKANA, AR METRO	190	0.0 %	0.0%
45780	TOLEDO, OH METRO	3643	0.2 %	0.3%
45820	TOPEKA, KS METRO	2223	0.1 %	0.2%
45940	TRENTON-EWING, NJ METRO	2416	0.2 %	0.2%
46140	TULSA, OK METRO	2999	0.2 %	0.2%
46220	TUSCALOOSA, AL METRO	607	0.0 %	0.0%
46340	TYLER, TX METRO	479	0.0 %	0.0%
46540	UTICA-ROME, NY METRO	4143	0.3 %	0.3%
46700	VALLEJO-FAIRFIELD, CA METRO	1159	0.1 %	0.1%
47220	VINELAND-MILLVILLE-BRIDGETON, NJ METRO	1717	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
47260	VIRGINIA BEACH-NORFOLK-NEWPORT NEWS, VA-NC METRO	8492	0.5 %	0.7%
47300	VISALIA-PORTERVILLE, CA METRO	1587	0.1 %	0.1%
47360	WACO, TX METRO	675	0.0 %	0.1%
47900	WASHINGTON-ARLINGTON-ALEXANDRIA, DC-VA-MD-W METRO	24570	1.6 %	1.9%
47940	WATERLOO-CEDAR FALLS, IA METRO	656	0.0 %	0.1%
48140	WAUSAU, WI METRO	2	0.0 %	0.0%
48260	WEIRTON-STEUBENVILLE, WV-OH METRO	546	0.0 %	0.0%
48540	WHEELING, WV-OH METRO	1054	0.1 %	0.1%
48620	WICHITA, KS METRO	7730	0.5 %	0.6%
48660	WICHITA FALLS, TX METRO	501	0.0 %	0.0%
48700	WILLIAMSPORT, PA METRO	113	0.0 %	0.0%
48900	WILMINGTON, NC METRO	898	0.1 %	0.1%
49180	WINSTON-SALEM, NC METRO	2603	0.2 %	0.2%
49340	WORCESTER, MA METRO	6208	0.4 %	0.5%
49420	YAKIMA, WA METRO	2905	0.2 %	0.2%
49620	YORK-HANOVER, PA METRO	856	0.1 %	0.1%
49660	YOUNGSTOWN-WARREN-BOARDMAN, OH-PA METRO	3109	0.2 %	0.2%
49700	YUBA CITY-MARYSVILLE, CA METRO	64	0.0 %	0.0%
-9 (M)	UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID	281773	18.2 %	-

Based upon 1266980 valid cases out of 1548753 total cases.

PMSA

FIPS 1990 MSA CODE

Location: 44-47 (width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: According to the U.S. Bureau of the Census, if an area that qualifies as a Metropolitan Area (MA) has more than one million persons, PMSAs may be defined within it. PMSAs consist of a large urbanized county or cluster of counties that demonstrates very strong internal economic and social links, in addition to close ties to other portions of the larger area. When PMSAs are established, the larger area of which they are component parts is designated a consolidated metropolitan statistical area (CMSA). In New England States, metropolitan areas follow the New England County Metropolitan Area (NECMA) definition.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
40	ABILENE, TX MSA	870	0.1 %	0.1%
60	AGUADILLA, PR MSA	511	0.0 %	0.0%
80	AKRON, OH PMSA	4923	0.3 %	0.4%
120	ALBANY, GA MSA	573	0.0 %	0.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
160	ALBANY-SCHENECTADY-TROY, NY MSA	12997	0.8 %	1.0%
200	ALBUQUERQUE, NM MSA	2243	0.1 %	0.2%
220	ALEXANDRIA, LA MSA	3290	0.2 %	0.3%
240	ALLENTOWN-BETHLEHEM-EASTON, PA MSA	2143	0.1 %	0.2%
280	ALTOONA, PA MSA	4	0.0 %	0.0%
320	AMARILLO, TX MSA	737	0.0 %	0.1%
380	ANCHORAGE, AK MSA	1959	0.1 %	0.2%
440	ANN ARBOR, MI PMSA	2670	0.2 %	0.2%
450	ANNISTON, AL MSA	652	0.0 %	0.1%
460	APPLETON-OSHKOSH-NEENAH, WI MSA	566	0.0 %	0.0%
470	ARECIBO, PR PMSA	1583	0.1 %	0.1%
480	ASHEVILLE, NC MSA	3262	0.2 %	0.3%
500	ATHENS, GA MSA	1016	0.1 %	0.1%
520	ATLANTA, GA MSA	12370	0.8 %	1.0%
560	ATLANTIC-CAPE MAY, NJ PMSA	2744	0.2 %	0.2%
580	AUBURN-OPELIKA, AL MSA	365	0.0 %	0.0%
600	AUGUSTA-AIKEN, GA-SC MSA	3442	0.2 %	0.3%
640	AUSTIN-SAN MARCOS, TX MSA	5155	0.3 %	0.4%
680	BAKERSFIELD, CA MSA	3089	0.2 %	0.2%
720	BALTIMORE, MD PMSA	31922	2.1 %	2.5%
743	BARNSTABLE-YARMOUTH, MA NECMA	2550	0.2 %	0.2%
760	BATON ROUGE, LA MSA	4712	0.3 %	0.4%
840	BEAUMONT-PORT ARTHUR, TX MSA	1273	0.1 %	0.1%
860	BELLINGHAM, WA MSA	1078	0.1 %	0.1%
870	BENTON HARBOR, MI MSA	1365	0.1 %	0.1%
875	BERGEN-PASSAIC, NJ PMSA	7392	0.5 %	0.6%
880	BILLINGS, MT MSA	964	0.1 %	0.1%
960	BINGHAMTON, NY MSA	2906	0.2 %	0.2%
1000	BIRMINGHAM, AL MSA	4402	0.3 %	0.3%
1020	BLOOMINGTON, IN MSA	957	0.1 %	0.1%
1040	BLOOMINGTON-NORMAL, IL MSA	1043	0.1 %	0.1%
1080	BOISE CITY, ID MSA	921	0.1 %	0.1%
1123	BOSTON-WORCESTER-LAWRENCE-LOWELL-BROCKTON, MA-NH NECMA	42662	2.8 %	3.4%
1125	BOULDER-LONGMONT, CO PMSA	3210	0.2 %	0.3%
1145	BRAZORIA, TX PMSA	336	0.0 %	0.0%
1150	BREMERTON, WA PMSA	2266	0.1 %	0.2%
1240	BROWNSVILLE-HARLINGEN-SAN BENITO, TX MSA	841	0.1 %	0.1%
1260	BRYAN-COLLEGE STATION, TX MSA	301	0.0 %	0.0%
1280	BUFFALO-NIAGARA FALLS, NY MSA	17642	1.1 %	1.4%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1303	BURLINGTON, VT NECMA	2249	0.1 %	0.2%
1310	CAGUAS, PR PMSA	1617	0.1 %	0.1%
1320	CANTON-MASSILLON, OH MSA	4003	0.3 %	0.3%
1360	CEDAR RAPIDS, IA MSA	1344	0.1 %	0.1%
1400	CHAMPAIGN-URBANA, IL MSA	1190	0.1 %	0.1%
1440	CHARLESTON-NORTH CHARLESTON, SC MSA	4515	0.3 %	0.4%
1480	CHARLESTON, WV MSA	1541	0.1 %	0.1%
1520	CHARLOTTE-GASTONIA-ROCK HILL, NC-SC MSA	7860	0.5 %	0.6%
1540	CHARLOTTESVILLE, VA MSA	497	0.0 %	0.0%
1560	CHATTANOOGA, TN-GA MSA	1541	0.1 %	0.1%
1600	CHICAGO, IL PMSA	33906	2.2 %	2.7%
1620	CHICO-PARADISE, CA MSA	692	0.0 %	0.1%
1640	CINCINNATI, OH-KY-IN PMSA	5163	0.3 %	0.4%
1660	CLARKSVILLE-HOPKINSVILLE, TN-KY MSA	148	0.0 %	0.0%
1680	CLEVELAND-LORAIN-ELYRIA, OH PMSA	12227	0.8 %	1.0%
1720	COLORADO SPRINGS, CO MSA	4237	0.3 %	0.3%
1740	COLUMBIA, MO MSA	719	0.0 %	0.1%
1760	COLUMBIA, SC MSA	4466	0.3 %	0.4%
1800	COLUMBUS, GA-AL MSA	1034	0.1 %	0.1%
1840	COLUMBUS, OH MSA	7466	0.5 %	0.6%
1880	CORPUS CHRISTI, TX MSA	1783	0.1 %	0.1%
1900	CUMBERLAND, MD-WV MSA	952	0.1 %	0.1%
1920	DALLAS, TX PMSA	4315	0.3 %	0.3%
1950	DANVILLE, VA MSA	584	0.0 %	0.0%
1960	DAVENPORT-MOLINE-ROCK ISLAND, IA-IL MSA	3365	0.2 %	0.3%
2000	DAYTON-SPRINGFIELD, OH MSA	5955	0.4 %	0.5%
2020	DAYTONA BEACH, FL MSA	2153	0.1 %	0.2%
2030	DECATUR, AL MSA	367	0.0 %	0.0%
2040	DECATUR, IL MSA	285	0.0 %	0.0%
2080	DENVER, CO PMSA	32200	2.1 %	2.5%
2120	DES MOINES, IA MSA	825	0.1 %	0.1%
2160	DETROIT, MI PMSA	27126	1.8 %	2.1%
2180	DOTHAN, AL MSA	688	0.0 %	0.1%
2190	DOVER, DE MSA	310	0.0 %	0.0%
2240	DULUTH-SUPERIOR, MN-WI MSA	1634	0.1 %	0.1%
2281	DUTCHESS COUNTY, NY PMSA	6040	0.4 %	0.5%
2290	EAU CLAIRE, WI MSA	355	0.0 %	0.0%
2320	EL PASO, TX MSA	2788	0.2 %	0.2%
2330	ELKHART-GOSHEN, IN MSA	550	0.0 %	0.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2360	ERIE, PA MSA	1371	0.1 %	0.1%
2400	EUGENE-SPRINGFIELD, OR MSA	5229	0.3 %	0.4%
2440	EVANSVILLE-HENDERSON, IN-KY MSA	2055	0.1 %	0.2%
2520	FARGO-MOORHEAD, ND-MN MSA	673	0.0 %	0.1%
2560	FAYETTEVILLE, NC MSA	1703	0.1 %	0.1%
2580	FAYETTEVILLE-SPRINGDALE-ROGERS, AR MSA	877	0.1 %	0.1%
2640	FLINT, MI PMSA	3740	0.2 %	0.3%
2650	FLORENCE, AL MSA	705	0.0 %	0.1%
2655	FLORENCE, SC MSA	1582	0.1 %	0.1%
2670	FORT COLLINS-LOVELAND, CO MSA	427	0.0 %	0.0%
2680	FORT LAUDERDALE, FL PMSA	8887	0.6 %	0.7%
2700	FORT MYERS-CAPE CORAL, FL MSA	2194	0.1 %	0.2%
2710	FORT PIERCE-PORT ST. LUCIE, FL MSA	1602	0.1 %	0.1%
2720	FORT SMITH, AR-OK MSA	212	0.0 %	0.0%
2750	FORT WALTON BEACH, FL MSA	1425	0.1 %	0.1%
2760	FORT WAYNE, IN MSA	975	0.1 %	0.1%
2800	FORT WORTH-ARLINGTON, TX PMSA	4085	0.3 %	0.3%
2840	FRESNO, CA MSA	6552	0.4 %	0.5%
2880	GADSDEN, AL MSA	819	0.1 %	0.1%
2900	GAINESVILLE, FL MSA	1165	0.1 %	0.1%
2920	GALVESTON-TEXAS CITY, TX PMSA	357	0.0 %	0.0%
2960	GARY, IN PMSA	1507	0.1 %	0.1%
2975	GLENS FALLS, NY MSA	1323	0.1 %	0.1%
2980	GOLDSBORO, NC MSA	733	0.0 %	0.1%
2995	GRAND JUNCTION, CO MSA	1410	0.1 %	0.1%
3000	GRAND RAPIDS-MUSKEGON-HOLLAND, MI MSA	12589	0.8 %	1.0%
3060	GREELEY, CO PMSA	2961	0.2 %	0.2%
3080	GREEN BAY, WI MSA	56	0.0 %	0.0%
3120	GREENSBORO--WINSTON-SALEM--HIGH POINT, NC MSA	6821	0.4 %	0.5%
3150	GREENVILLE, NC MSA	2353	0.2 %	0.2%
3160	GREENVILLE-SPARTANBURG-ANDERSON, SC MSA	7200	0.5 %	0.6%
3180	HAGERSTOWN, MD PMSA	1486	0.1 %	0.1%
3200	HAMILTON-MIDDLETOWN, OH PMSA	813	0.1 %	0.1%
3240	HARRISBURG-LEBANON-CARLISLE, PA MSA	2135	0.1 %	0.2%
3283	HARTFORD, CT NECMA	17606	1.1 %	1.4%
3290	HICKORY-MORGANTON, NC MSA	2569	0.2 %	0.2%
3320	HONOLULU, HI MSA	2987	0.2 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3350	HOUMA, LA MSA	1351	0.1 %	0.1%
3360	HOUSTON, TX PMSA	10029	0.6 %	0.8%
3400	HUNTINGTON-ASHLAND, WV-KY-OH MSA	1686	0.1 %	0.1%
3440	HUNTSVILLE, AL MSA	601	0.0 %	0.0%
3480	INDIANAPOLIS, IN MSA	4630	0.3 %	0.4%
3500	IOWA CITY, IA MSA	929	0.1 %	0.1%
3520	JACKSON, MI MSA	639	0.0 %	0.1%
3580	JACKSON, TN MSA	1397	0.1 %	0.1%
3600	JACKSONVILLE, FL MSA	4372	0.3 %	0.3%
3605	JACKSONVILLE, NC MSA	693	0.0 %	0.1%
3610	JAMESTOWN, NY MSA	1105	0.1 %	0.1%
3620	JANESVILLE-BELOIT, WI MSA	3	0.0 %	0.0%
3640	JERSEY CITY, NJ PMSA	4684	0.3 %	0.4%
3660	JOHNSON CITY-KINGSPORT-BRISTOL, TN-VA MSA	1723	0.1 %	0.1%
3680	JOHNSTOWN, PA MSA	129	0.0 %	0.0%
3710	JOPLIN, MO MSA	1068	0.1 %	0.1%
3720	KALAMAZOO-BATTLE CREEK, MI MSA	5583	0.4 %	0.4%
3740	KANKAKEE, IL PMSA	442	0.0 %	0.0%
3760	KANSAS CITY, MO-KS MSA	7813	0.5 %	0.6%
3800	KENOSHA, WI PMSA	427	0.0 %	0.0%
3810	KILLEEN-TEMPLE, TX MSA	600	0.0 %	0.0%
3840	KNOXVILLE, TN MSA	1455	0.1 %	0.1%
3870	LA CROSSE, WI-MN MSA	183	0.0 %	0.0%
3880	LAFAYETTE, LA MSA	522	0.0 %	0.0%
3920	LAFAYETTE, IN MSA	465	0.0 %	0.0%
3960	LAKE CHARLES, LA MSA	1419	0.1 %	0.1%
3980	LAKELAND-WINTER HAVEN, FL MSA	1475	0.1 %	0.1%
4000	LANCASTER, PA MSA	1138	0.1 %	0.1%
4040	LANSING-EAST LANSING, MI MSA	3633	0.2 %	0.3%
4080	LAREDO, TX MSA	380	0.0 %	0.0%
4100	LAS CRUCES, NM MSA	482	0.0 %	0.0%
4120	LAS VEGAS, NV-AZ MSA	4397	0.3 %	0.3%
4200	LAWTON, OK MSA	853	0.1 %	0.1%
4320	LIMA, OH MSA	810	0.1 %	0.1%
4360	LINCOLN, NE MSA	7607	0.5 %	0.6%
4400	LITTLE ROCK-NORTH LITTLE ROCK, AR MSA	1613	0.1 %	0.1%
4420	LONGVIEW-MARSHALL, TX MSA	496	0.0 %	0.0%
4480	LOS ANGELES-LONG BEACH, CA PMSA	36753	2.4 %	2.9%
4520	LOUISVILLE, KY-IN MSA	940	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4600	LUBBOCK, TX MSA	1132	0.1 %	0.1%
4640	LYNCHBURG, VA MSA	1149	0.1 %	0.1%
4680	MACON, GA MSA	1096	0.1 %	0.1%
4720	MADISON, WI MSA	21	0.0 %	0.0%
4800	MANSFIELD, OH MSA	801	0.1 %	0.1%
4840	MAYAGUEZ, PR MSA	1324	0.1 %	0.1%
4880	MCALLEN-EDINBURG-MISSION, TX MSA	879	0.1 %	0.1%
4890	MEDFORD-ASHLAND, OR MSA	3083	0.2 %	0.2%
4900	MELBOURNE-TITUSVILLE-PALM BAY, FL MSA	1149	0.1 %	0.1%
4920	MEMPHIS, TN-AR-MS MSA	2089	0.1 %	0.2%
4940	MERCED, CA MSA	884	0.1 %	0.1%
5000	MIAMI, FL PMSA	10837	0.7 %	0.9%
5015	MIDDLESEX-SOMERSET-HUNTERDON, NJ PMSA	7639	0.5 %	0.6%
5080	MILWAUKEE-WAUKESHA, WI PMSA	692	0.0 %	0.1%
5120	MINNEAPOLIS-ST. PAUL, MN-WI MSA	17486	1.1 %	1.4%
5160	MOBILE, AL MSA	1487	0.1 %	0.1%
5170	MODESTO, CA MSA	2140	0.1 %	0.2%
5190	MONMOUTH-OCEAN, NJ PMSA	6544	0.4 %	0.5%
5200	MONROE, LA MSA	1264	0.1 %	0.1%
5240	MONTGOMERY, AL MSA	1695	0.1 %	0.1%
5280	MUNCIE, IN MSA	1358	0.1 %	0.1%
5330	MYRTLE BEACH, SC MSA	872	0.1 %	0.1%
5345	NAPLES, FL MSA	1789	0.1 %	0.1%
5360	NASHVILLE, TN MSA	2505	0.2 %	0.2%
5380	NASSAU-SUFFOLK, NY PMSA	25079	1.6 %	2.0%
5483	NEW HAVEN-BRIDGEPORT-STAMFORD-WATERBURY-DANBURY, CT NECMA	13747	0.9 %	1.1%
5523	NEW LONDON-NORWICH, CT NECMA	4510	0.3 %	0.4%
5560	NEW ORLEANS, LA MSA	6465	0.4 %	0.5%
5600	NEW YORK, NY PMSA	100685	6.5 %	7.9%
5640	NEWARK, NJ PMSA	21915	1.4 %	1.7%
5660	NEWBURGH, NY-PA PMSA	4125	0.3 %	0.3%
5720	NORFOLK-VIRGINIA BEACH-NEWPORT NEWS, VA-NC MSA	8492	0.5 %	0.7%
5775	OAKLAND, CA PMSA	13261	0.9 %	1.0%
5790	OCALA, FL MSA	2148	0.1 %	0.2%
5800	ODESSA-MIDLAND, TX MSA	1070	0.1 %	0.1%
5880	OKLAHOMA CITY, OK MSA	6615	0.4 %	0.5%
5910	OLYMPIA, WA PMSA	813	0.1 %	0.1%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5920	OMAHA, NE-IA MSA	6043	0.4 %	0.5%
5945	ORANGE COUNTY, CA PMSA	13548	0.9 %	1.1%
5960	ORLANDO, FL MSA	7995	0.5 %	0.6%
6015	PANAMA CITY, FL MSA	632	0.0 %	0.0%
6020	PARKERSBURG-MARIETTA, WV-OH MSA	852	0.1 %	0.1%
6080	PENSACOLA, FL MSA	1448	0.1 %	0.1%
6120	PEORIA-PEKIN, IL MSA	1674	0.1 %	0.1%
6160	PHILADELPHIA, PA-NJ PMSA	17909	1.2 %	1.4%
6280	PITTSBURGH, PA MSA	5780	0.4 %	0.5%
6360	PONCE, PR MSA	2261	0.1 %	0.2%
6403	PORTLAND, ME NECMA	1998	0.1 %	0.2%
6440	PORTLAND-VANCOUVER, OR-WA PMSA	17879	1.2 %	1.4%
6483	PROVIDENCE-WARWICK-PAWTUCKET, RI NECMA	9649	0.6 %	0.8%
6520	PROVO-OREM, UT MSA	316	0.0 %	0.0%
6560	PUEBLO, CO MSA	4645	0.3 %	0.4%
6580	PUNTA GORDA, FL MSA	289	0.0 %	0.0%
6600	RACINE, WI PMSA	586	0.0 %	0.0%
6640	RALEIGH-DURHAM-CHAPEL HILL, NC MSA	4768	0.3 %	0.4%
6680	READING, PA MSA	1402	0.1 %	0.1%
6690	REDDING, CA MSA	663	0.0 %	0.1%
6720	RENO, NV MSA	1400	0.1 %	0.1%
6740	RICHLAND-KENNEWICK-PASCO, WA MSA	843	0.1 %	0.1%
6760	RICHMOND-PETERSBURG, VA MSA	2245	0.1 %	0.2%
6780	RIVERSIDE-SAN BERNARDINO, CA PMSA	13549	0.9 %	1.1%
6800	ROANOKE, VA MSA	1661	0.1 %	0.1%
6820	ROCHESTER, MN MSA	412	0.0 %	0.0%
6840	ROCHESTER, NY MSA	10193	0.7 %	0.8%
6880	ROCKFORD, IL MSA	1497	0.1 %	0.1%
6895	ROCKY MOUNT, NC MSA	1015	0.1 %	0.1%
6920	SACRAMENTO, CA PMSA	7596	0.5 %	0.6%
6960	SAGINAW-BAY CITY-MIDLAND, MI MSA	2441	0.2 %	0.2%
6980	ST. CLOUD, MN MSA	808	0.1 %	0.1%
7000	ST. JOSEPH, MO MSA	952	0.1 %	0.1%
7040	ST. LOUIS, MO-IL MSA	8490	0.5 %	0.7%
7080	SALEM, OR PMSA	3640	0.2 %	0.3%
7120	SALINAS, CA MSA	1199	0.1 %	0.1%
7160	SALT LAKE CITY-OGDEN, UT MSA	12367	0.8 %	1.0%
7200	SAN ANGELO, TX MSA	333	0.0 %	0.0%
7240	SAN ANTONIO, TX MSA	3192	0.2 %	0.3%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
7320	SAN DIEGO, CA MSA	11782	0.8 %	0.9%
7360	SAN FRANCISCO, CA PMSA	11956	0.8 %	0.9%
7400	SAN JOSE, CA PMSA	6028	0.4 %	0.5%
7440	SAN JUAN-BAYAMON, PR PMSA	8367	0.5 %	0.7%
7460	SAN LUIS OBISPO-ATASCADERO-PASO ROBLES, CA MSA	643	0.0 %	0.1%
7480	SANTA BARBARA-SANTA MARIA-LOMPOC, CA MSA	2244	0.1 %	0.2%
7485	SANTA CRUZ-WATSONVILLE, CA PMSA	1829	0.1 %	0.1%
7490	SANTA FE, NM MSA	561	0.0 %	0.0%
7500	SANTA ROSA, CA PMSA	3848	0.2 %	0.3%
7510	SARASOTA-BRADENTON, FL MSA	1879	0.1 %	0.1%
7520	SAVANNAH, GA MSA	1923	0.1 %	0.2%
7560	SCRANTON--WILKES-BARRE--HAZLETON, PA MSA	1305	0.1 %	0.1%
7600	SEATTLE-BELLEVUE-EVERETT, WA PMSA	14596	0.9 %	1.2%
7610	SHARON, PA MSA	905	0.1 %	0.1%
7620	SHEBOYGAN, WI MSA	303	0.0 %	0.0%
7640	SHERMAN-DENISON, TX MSA	160	0.0 %	0.0%
7680	SHREVEPORT-BOSSIER CITY, LA MSA	1795	0.1 %	0.1%
7720	SIOUX CITY, IA-NE MSA	1114	0.1 %	0.1%
7760	SIOUX FALLS, SD MSA	2038	0.1 %	0.2%
7800	SOUTH BEND, IN MSA	989	0.1 %	0.1%
7840	SPOKANE, WA MSA	4698	0.3 %	0.4%
7880	SPRINGFIELD, IL MSA	1242	0.1 %	0.1%
7920	SPRINGFIELD, MO MSA	2338	0.2 %	0.2%
8003	SPRINGFIELD, MA NECMA	6870	0.4 %	0.5%
8050	STATE COLLEGE, PA MSA	384	0.0 %	0.0%
8080	STEUBENVILLE-WEIRTON, OH-WV MSA	546	0.0 %	0.0%
8120	STOCKTON-LODI, CA MSA	1684	0.1 %	0.1%
8140	SUMTER, SC MSA	978	0.1 %	0.1%
8160	SYRACUSE, NY MSA	11252	0.7 %	0.9%
8200	TACOMA, WA PMSA	5486	0.4 %	0.4%
8240	TALLAHASSEE, FL MSA	1492	0.1 %	0.1%
8280	TAMPA-ST. PETERSBURG-CLEARWATER, FL MSA	13481	0.9 %	1.1%
8320	TERRE HAUTE, IN MSA	12	0.0 %	0.0%
8360	TEXARKANA, TX-TEXARKANA, AR MSA	190	0.0 %	0.0%
8400	TOLEDO, OH MSA	3643	0.2 %	0.3%
8440	TOPEKA, KS MSA	2223	0.1 %	0.2%
8480	TRENTON, NJ PMSA	2416	0.2 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
8560	TULSA, OK MSA	2999	0.2 %	0.2%
8600	TUSCALOOSA, AL MSA	607	0.0 %	0.0%
8640	TYLER, TX MSA	479	0.0 %	0.0%
8680	UTICA-ROME, NY MSA	4143	0.3 %	0.3%
8720	VALLEJO-FAIRFIELD-NAPA, CA PMSA	1696	0.1 %	0.1%
8735	VENTURA, CA PMSA	3191	0.2 %	0.3%
8760	VINELAND-MILLVILLE-BRIDGETON, NJ PMSA	1717	0.1 %	0.1%
8780	VISALIA-TULARE-PORTERVILLE, CA MSA	1587	0.1 %	0.1%
8800	WACO, TX MSA	675	0.0 %	0.1%
8840	WASHINGTON, DC-MD-VA-WV PMSA	25114	1.6 %	2.0%
8920	WATERLOO-CEDAR FALLS, IA MSA	656	0.0 %	0.1%
8940	WAUSAU, WI MSA	2	0.0 %	0.0%
8960	WEST PALM BEACH-BOCA RATON, FL MSA	4898	0.3 %	0.4%
9000	WHEELING, WV-OH MSA	1054	0.1 %	0.1%
9040	WICHITA, KS MSA	7730	0.5 %	0.6%
9080	WICHITA FALLS, TX MSA	501	0.0 %	0.0%
9140	WILLIAMSPORT, PA MSA	113	0.0 %	0.0%
9160	WILMINGTON-NEWARK, DE-MD PMSA	4784	0.3 %	0.4%
9200	WILMINGTON, NC MSA	898	0.1 %	0.1%
9260	YAKIMA, WA MSA	2905	0.2 %	0.2%
9270	YOLO, CA PMSA	978	0.1 %	0.1%
9280	YORK, PA MSA	856	0.1 %	0.1%
9320	YOUNGSTOWN-WARREN, OH MSA	2817	0.2 %	0.2%
9340	YUBA CITY, CA MSA	64	0.0 %	0.0%
-9 (M)	UNDESIGNATED AREA/MISSING/UNKNOWN/NOT COLLECTED/INVALID	281773	18.2 %	-

Based upon 1266980 valid cases out of 1548753 total cases.

REGION

CENSUS REGION

Location: 48-49 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

CENSUS REGION: Geographic regions used are based on divisions used by the U.S. Bureau of Census, 1970 Census of Population. They are comprised of the following states and territories:

- U.S. TERRITORIES: Puerto Rico
- NORTHEAST: New England Division (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont) and Middle Atlantic Division (New Jersey, New York,

Pennsylvania).

- MIDWEST: East North Central Division (Illinois, Indiana, Michigan, Ohio, Wisconsin) and West North Central Division (Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota).
- SOUTH: South Atlantic Division (Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, West Virginia) and East South Central Division (Alabama, Kentucky, Mississippi, Tennessee), and West South Central Division (Arkansas, Louisiana, Oklahoma, Texas).
- WEST: Mountain Division (Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming) and Pacific Division (Alaska, California, Hawaii, Oregon, Washington).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	US JURISDICTION/TERRITORY	16527	1.1 %	1.1%
1	NORTHEAST	438544	28.3 %	28.3%
2	MIDWEST	339554	21.9 %	21.9%
3	SOUTH	410205	26.5 %	26.5%
4	WEST	343923	22.2 %	22.2%

Based upon 1548753 valid cases out of 1548753 total cases.

DIVISION

CENSUS DIVISION

Location: 50-51 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

CENSUS DIVISION: Census divisions are groupings of states that are subdivisions of the four census regions. There are nine divisions, which the Census Bureau adopted in 1910 for the presentation of data. The divisions and the states included in them are:

- U.S. TERRITORIES: Puerto Rico
- NEW ENGLAND: Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, and Vermont.
- MIDDLE ATLANTIC: New Jersey, New York, and Pennsylvania.
- EAST NORTH CENTRAL: Illinois, Indiana, Michigan, Ohio, and Wisconsin.
- WEST NORTH CENTRAL: Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, and South Dakota.
- SOUTH ATLANTIC: Delaware, District of Columbia, Florida,

Georgia, Maryland, North Carolina, South Carolina, Virginia, and West Virginia.

- EAST SOUTH CENTRAL: Alabama, Kentucky, Mississippi, and Tennessee.

- WEST SOUTH CENTRAL: Arkansas, Louisiana, Oklahoma, and Texas.

- MOUNTAIN: Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, and Wyoming.

- PACIFIC: Alaska, California, Hawaii, Oregon, and Washington.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	US JURISDICTION/TERRITORY	16527	1.1 %	1.1%
1	NEW ENGLAND	120969	7.8 %	7.8%
2	MID-ATLANTIC	317575	20.5 %	20.5%
3	EAST NORTH CENTRAL	222530	14.4 %	14.4%
4	WEST NORTH CENTRAL	117024	7.6 %	7.6%
5	SOUTH ATLANTIC	285294	18.4 %	18.4%
6	EAST SOUTH CENTRAL	27987	1.8 %	1.8%
7	WEST SOUTH CENTRAL	96924	6.3 %	6.3%
8	MOUNTAIN	98329	6.3 %	6.3%
9	PACIFIC	245594	15.9 %	15.9%

Based upon 1548753 valid cases out of 1548753 total cases.

SERVSETA

SERVICE SETTING AT ADMISSION

Location: 52-53 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Describes the type of service and treatment setting in which the client is placed at the time of admission or transfer.

- DETOXIFICATION, 24-HOUR SERVICE, HOSPITAL INPATIENT:

24 hour per day medical acute care services in hospital setting for detoxification of persons with severe medical complications associated with withdrawal.

- DETOXIFICATION, 24-HOUR SERVICE, FREE-STANDING RESIDENTIAL:

24 hour per day services in non-hospital setting providing for safe withdrawal and transition to ongoing treatment.

- REHABILITATION/RESIDENTIAL - HOSPITAL (OTHER THAN DETOX):

24 hour per day medical care in a hospital facility in conjunction with treatment services for alcohol and other drug abuse and dependency.

drug abuse prevention, education, or treatment.

- OTHER HEALTH CARE PROVIDER: A physician, psychiatrist, or other licensed health care professional; or general hospital, psychiatric hospital, mental health program, or nursing home.
- SCHOOL (EDUCATIONAL): A school principal, counselor, or teacher; or a student assistance program (SAP), the school system, or an educational agency.
- EMPLOYER/EAP: A supervisor or an employee counselor.
- OTHER COMMUNITY REFERRAL: Community or religious organization or any Federal, State, or local agency that provides aid in the areas of poverty relief, unemployment, shelter, or social welfare. Self-help groups such as Alcoholics Anonymous (AA), Al-Anon, and Narcotics Anonymous (NA) are also included in this category. Defense attorneys are also included in this category.
- COURT / CRIMINAL JUSTICE REFERRAL / DUI/DWI: Any police official, judge, prosecutor, probation officer, or other person affiliated with a Federal, State, or county judicial system. Includes referral by a court for DWI/DUI, clients referred in lieu of or for deferred prosecution, or during pretrial release, or before or after official adjudication. Includes clients on pre-parole, pre-release, work or home furlough, or TASC. Client need not be officially designated as "on parole." Includes clients referred through civil commitment. Client referrals in this category are further defined in the Supplemental Data Set item "Detailed Criminal Justice Referral (DETCRIM).

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	INDIVIDUAL (INCLUDES SELF-REFERRAL)	529211	34.2 %	35.5%
2	ALCOHOL/DRUG ABUSE CARE PROVIDER	193157	12.5 %	13.0%
3	OTHER HEALTH CARE PROVIDER	109596	7.1 %	7.4%
4	SCHOOL (EDUCATIONAL)	21660	1.4 %	1.5%
5	EMPLOYER/EAP	25541	1.6 %	1.7%
6	OTHER COMMUNITY REFERRAL	113412	7.3 %	7.6%
7	COURT/CRIMINAL JUSTICE REFERRAL / DUI / DWI	496589	32.1 %	33.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	59587	3.8 %	-

Based upon 1489166 valid cases out of 1548753 total cases.

DETCRIM

DETAILED CRIMINAL JUSTICE REFERRAL

Location: 61-62 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

This field gives more detailed information about those clients who are coded as "Criminal Justice Referral" in the Minimum Data Set field for "Principal Source of Referral" (PSOURCE).

- STATE/FEDERAL COURT, OTHER COURT
- PROBATION/PAROLE
- DIVERSIONARY PROGRAM (e.g. TASC)
- PRISON
- DUI/DWI
- OTHER RECOGNIZED LEGAL ENTITY, OTHER: Other recognized legal entities includes local law enforcement agency, corrections agency, youth services, review board/agency)

Guidelines: This field is to be used only Principal Source of Referral in the Minimum Data Set field is coded 07, "Criminal Justice Referral." For all other Principal Source of Referral codes (01 to 06 and missing), this field should be coded as Missing.

Value	Label	Unweighted Frequency	%	Valid %
1	STATE/FEDERAL COURT, OTHER COURT	67605	4.4 %	21.4%
3	PROBATION/PAROLE	107512	6.9 %	34.1%
5	DIVERSIONARY PROGRAM	10355	0.7 %	3.3%
6	PRISON	12933	0.8 %	4.1%
7	DUI/DWI	75256	4.9 %	23.9%
8	OTHER RECOGNIZED LEGAL ENTITY, OTHER	41771	2.7 %	13.2%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1233321	79.6 %	-

Based upon 315432 valid cases out of 1548753 total cases.

NOPRIOR

NUMBER OF PRIOR TREATMENT EPISODES

Location: 63-64 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Indicates the number of previous treatment episodes the client has received in any drug or alcohol program. Changes in service for the same episode (transfers) should not be counted as separate prior episodes.

Guidelines: It is preferred that the number of prior treatments be a self-reported field collected at the time of client intake. However, this data item may be

derived from the State data system, if the system has that capability, and episodes can be counted for at least several years.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO PRIOR TREATMENT EPISODES	606763	39.2 %	46.2%
1	1 PRIOR TREATMENT EPISODES	302484	19.5 %	23.0%
2	2 PRIOR TREATMENT EPISODES	148980	9.6 %	11.3%
3	3 PRIOR TREATMENT EPISODES	79087	5.1 %	6.0%
4	4 PRIOR TREATMENT EPISODES	44255	2.9 %	3.4%
5	5 OR MORE PRIOR TREATMENT EPISODES	131956	8.5 %	10.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	235228	15.2 %	-

Based upon 1313525 valid cases out of 1548753 total cases.

SUB1 SUBSTANCE PROBLEM CODE (PRIMARY)

Location: 65-66 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

This field identifies the client's primary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE
- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.

- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.
- (17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.
- (18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.
- (20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE	27886	1.8 %	1.8%
2	ALCOHOL	920038	59.4 %	59.9%
3	COCAINE/CRACK	268915	17.4 %	17.5%
4	MARIJUANA/HASHISH	91913	5.9 %	6.0%
5	HEROIN	169582	10.9 %	11.0%
6	NON-PRESCRIPTION METHADONE	1190	0.1 %	0.1%
7	OTHER OPIATES AND SYNTHETICS	12338	0.8 %	0.8%
8	PCP	2816	0.2 %	0.2%
9	OTHER HALLUCINOGENS	3423	0.2 %	0.2%
10	METHAMPHETAMINE	14536	0.9 %	0.9%
11	OTHER AMPHETAMINES	6472	0.4 %	0.4%
12	OTHER STIMULANTS	1054	0.1 %	0.1%
13	BENZODIAZEPINES	2865	0.2 %	0.2%
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	1752	0.1 %	0.1%
15	BARBITURATES	1628	0.1 %	0.1%
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	2095	0.1 %	0.1%
17	INHALANTS	2829	0.2 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
18	OVER-THE-COUNTER MEDICATIONS	516	0.0 %	0.0%
20	OTHER	2932	0.2 %	0.2%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	13973	0.9 %	-

Based upon 1534780 valid cases out of 1548753 total cases.

ROUTE1 USUAL ROUTE OF ADMINISTRATION (PRIMARY)

Location: 67-68 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: This field identifies the usual route of administration of the primary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ORAL	900620	58.2 %	62.8%
2	SMOKING	281892	18.2 %	19.7%
3	INHALATION	87667	5.7 %	6.1%
4	INJECTION (IV OR INTRAMUSCULAR)	157656	10.2 %	11.0%
20	OTHER	6215	0.4 %	0.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	114703	7.4 %	-

Based upon 1434050 valid cases out of 1548753 total cases.

FREQ1 FREQUENCY OF USE (PRIMARY)

Location: 69-70 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Specifies the frequency of use of the primary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO USE IN THE PAST MONTH	304918	19.7 %	22.1%
2	1-3 TIMES IN THE PAST MONTH	153902	9.9 %	11.2%
3	1-2 TIMES IN THE PAST WEEK	144003	9.3 %	10.5%
4	3-6 TIMES IN THE PAST WEEK	190132	12.3 %	13.8%
5	DAILY	583766	37.7 %	42.4%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	172032	11.1 %	-

Based upon 1376721 valid cases out of 1548753 total cases.

FRSTUSE1 AGE AT FIRST USE (PRIMARY)

Location: 71-72 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the primary substance. For alcohol, this field records the age of the first intoxication.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	11 AND UNDER	140897	9.1 %	9.9%
2	12-14	305607	19.7 %	21.5%
3	15-17	417033	26.9 %	29.3%
4	18-20	244730	15.8 %	17.2%
5	21-24	130852	8.4 %	9.2%
6	25-29	97622	6.3 %	6.9%
7	30-34	49026	3.2 %	3.4%
8	35-39	22396	1.4 %	1.6%
9	40-44	9315	0.6 %	0.7%
10	45-49	3477	0.2 %	0.2%
11	50-54	1649	0.1 %	0.1%
12	55 AND OVER	1455	0.1 %	0.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	124694	8.1 %	-

Based upon 1424059 valid cases out of 1548753 total cases.

SUB2 SUBSTANCE PROBLEM CODE (SECONDARY)

Location: 73-74 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

This field identifies the client's secondary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.
- (10) METHAMPHETAMINE

- (11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.
- (12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.
- (13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.
- (14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.
- (15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.
- (16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.
- (17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.
- (18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.
- (20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE	559799	36.1 %	42.6%
2	ALCOHOL	213229	13.8 %	16.2%
3	COCAINE/CRACK	215082	13.9 %	16.4%
4	MARIJUANA/HASHISH	229076	14.8 %	17.4%
5	HEROIN	27578	1.8 %	2.1%
6	NON-PRESCRIPTION METHADONE	3060	0.2 %	0.2%
7	OTHER OPIATES AND SYNTHETICS	10034	0.6 %	0.8%
8	PCP	2916	0.2 %	0.2%
9	OTHER HALLUCINOGENS	6337	0.4 %	0.5%
10	METHAMPHETAMINE	10330	0.7 %	0.8%
11	OTHER AMPHETAMINES	9180	0.6 %	0.7%
12	OTHER STIMULANTS	2667	0.2 %	0.2%
13	BENZODIAZEPINES	6736	0.4 %	0.5%
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	4111	0.3 %	0.3%
15	BARBITURATES	3129	0.2 %	0.2%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	3678	0.2 %	0.3%
17	INHALANTS	2011	0.1 %	0.2%
18	OVER-THE-COUNTER MEDICATIONS	1140	0.1 %	0.1%
20	OTHER	4162	0.3 %	0.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	234498	15.1 %	-

Based upon 1314255 valid cases out of 1548753 total cases.

ROUTE2 USUAL ROUTE OF ADMINISTRATION (SECONDARY)

Location: 75-76 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies the usual route of administration of the secondary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ORAL	249168	16.1 %	34.8%
2	SMOKING	312157	20.2 %	43.6%
3	INHALATION	70872	4.6 %	9.9%
4	INJECTION (IV OR INTRAMUSCULAR)	82002	5.3 %	11.4%
20	OTHER	2121	0.1 %	0.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	832433	53.7 %	-

Based upon 716320 valid cases out of 1548753 total cases.

FREQ2 FREQUENCY OF USE (SECONDARY)

Location: 77-78 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: Specifies the frequency of use of the secondary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO USE IN THE PAST MONTH	236449	15.3 %	32.7%
2	1-3 TIMES IN THE PAST MONTH	101024	6.5 %	14.0%
3	1-2 TIMES IN THE PAST WEEK	89646	5.8 %	12.4%
4	3-6 TIMES IN THE PAST WEEK	95985	6.2 %	13.3%
5	DAILY	199211	12.9 %	27.6%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	826438	53.4 %	-

Based upon 722315 valid cases out of 1548753 total cases.

FRSTUSE2 AGE AT FIRST USE (SECONDARY)

Location: 79-80 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the secondary substance. For alcohol, this field records the age of the first intoxication.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	11 AND UNDER	96129	6.2 %	13.2%
2	12-14	151551	9.8 %	20.8%
3	15-17	198431	12.8 %	27.2%
4	18-20	114363	7.4 %	15.7%
5	21-24	62874	4.1 %	8.6%
6	25-29	52327	3.4 %	7.2%
7	30-34	28926	1.9 %	4.0%
8	35-39	14389	0.9 %	2.0%
9	40-44	6258	0.4 %	0.9%
10	45-49	2442	0.2 %	0.3%
11	50-54	929	0.1 %	0.1%
12	55 AND OVER	553	0.0 %	0.1%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	819581	52.9 %	-

Based upon 729172 valid cases out of 1548753 total cases.

SUB3 SUBSTANCE PROBLEM CODE (TERTIARY)

Location: 81-82 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question: This field identifies the client's tertiary substance problem.

- (1) NONE
- (2) ALCOHOL
- (3) COCAINE/CRACK
- (4) MARIJUANA/HASHISH: Includes THC and any other cannabis sativa preparations.
- (5) HEROIN
- (6) NON-PRESCRIPTION METHADONE
- (7) OTHER OPIATES AND SYNTHETICS: Includes buprenorphine, codeine, Hydrocodone, hydromorphone, meperidine, morphine, opium, oxycodone, pentazocine, propoxyphene, tramadol, and any other drug with morphine-like effects.
- (8) PCP: Phencyclidine
- (9) OTHER HALLUCINOGENS: Includes LSD, DMT, STP, hallucinogens, mescaline, peyote, psilocybin, etc.

(10) METHAMPHETAMINE

(11) OTHER AMPHETAMINES: Includes amphetamines, MDMA, phenmetrazine, and other unspecified amines and related drugs.

(12) OTHER STIMULANTS: Includes methylphenidate and any other stimulants.

(13) BENZODIAZEPINES: Includes alprazolam, chlordiazepoxide, clonazepam, clorazepate, diazepam, flunitrazepam, flurazepam, halazepam, lorazepam, oxazepam, prazepam, temazepam, triazolam, and other unspecified benzodiazepines.

(14) OTHER NON-BENZODIAZEPINE TRANQUILIZERS: Includes meprobamate, tranquilizers, etc.

(15) BARBITURATES: Includes amobarbital, pentobarbital, phenobarbital, secobarbital, etc.

(16) OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS: Includes chloral hydrate, ethchlorvynol, glutethimide, methaqualone, sedatives/hypnotics, etc.

(17) INHALANTS: Includes chloroform, ether, gasoline, glue, nitrous oxide, paint thinner, etc.

(18) OVER-THE-COUNTER MEDICATIONS: Includes aspirin, cough syrup, diphenhydramine and other anti-histamines, sleep aids, and any other legally obtained non-prescription medication.

(20) OTHER: Includes diphenylhydantoin/phenytoin, GHB/GBL, ketamine, etc.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NONE	826839	53.4 %	73.0%
2	ALCOHOL	69578	4.5 %	6.1%
3	COCAINE/CRACK	64864	4.2 %	5.7%
4	MARIJUANA/HASHISH	95213	6.1 %	8.4%
5	HEROIN	13681	0.9 %	1.2%
6	NON-PRESCRIPTION METHADONE	1975	0.1 %	0.2%
7	OTHER OPIATES AND SYNTHETICS	5443	0.4 %	0.5%
8	PCP	2898	0.2 %	0.3%
9	OTHER HALLUCINOGENS	12744	0.8 %	1.1%
10	METHAMPHETAMINE	6535	0.4 %	0.6%
11	OTHER AMPHETAMINES	9043	0.6 %	0.8%
12	OTHER STIMULANTS	2117	0.1 %	0.2%
13	BENZODIAZEPINES	5047	0.3 %	0.4%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
14	OTHER NON-BENZODIAZEPINE TRANQUILIZERS	3586	0.2 %	0.3%
15	BARBITURATES	3230	0.2 %	0.3%
16	OTHER NON-BARBITURATE SEDATIVES OR HYPNOTICS	2811	0.2 %	0.2%
17	INHALANTS	2278	0.1 %	0.2%
18	OVER-THE-COUNTER MEDICATIONS	999	0.1 %	0.1%
20	OTHER	3792	0.2 %	0.3%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	416080	26.9 %	-

Based upon 1132673 valid cases out of 1548753 total cases.

ROUTE3 USUAL ROUTE OF ADMINISTRATION (TERTIARY)

Location: 83-84 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: This field identifies the usual route of administration of the tertiary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	ORAL	97491	6.3 %	38.2%
2	SMOKING	100524	6.5 %	39.4%
3	INHALATION	35424	2.3 %	13.9%
4	INJECTION (IV OR INTRAMUSCULAR)	20542	1.3 %	8.1%
20	OTHER	1177	0.1 %	0.5%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1293595	83.5 %	-

Based upon 255158 valid cases out of 1548753 total cases.

FREQ3 FREQUENCY OF USE (TERTIARY)

Location: 85-86 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Specifies the frequency of use of the tertiary substance.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	NO USE IN THE PAST MONTH	135707	8.8 %	48.7%
2	1-3 TIMES IN THE PAST MONTH	40109	2.6 %	14.4%
3	1-2 TIMES IN THE PAST WEEK	28645	1.8 %	10.3%
4	3-6 TIMES IN THE PAST WEEK	25465	1.6 %	9.1%
5	DAILY	48986	3.2 %	17.6%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1269841	82.0 %	-

Based upon 278912 valid cases out of 1548753 total cases.

FRSTUSE3 AGE AT FIRST USE (TERTIARY)

Location: 87-88 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: For drugs other than alcohol, this field identifies the age at which the client first used the substance identified as the tertiary substance. For alcohol, this field records the age of the first intoxication.

Value	Label	Unweighted Frequency	%	Valid %
1	11 AND UNDER	77986	5.0 %	25.2%
2	12-14	58613	3.8 %	19.0%
3	15-17	76779	5.0 %	24.9%
4	18-20	42756	2.8 %	13.8%
5	21-24	21605	1.4 %	7.0%
6	25-29	16765	1.1 %	5.4%
7	30-34	8221	0.5 %	2.7%
8	35-39	3896	0.3 %	1.3%
9	40-44	1508	0.1 %	0.5%
10	45-49	499	0.0 %	0.2%
11	50-54	186	0.0 %	0.1%
12	55 AND OVER	99	0.0 %	0.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1239840	80.1 %	-

Based upon 308913 valid cases out of 1548753 total cases.

NUMSUBS NUMBER OF SUBSTANCES REPORTED AT ADM.

Location: 89-90 (width: 2; decimal: 0)
 Variable Type: numeric
 Question: Calculates the number of substances (maximum of 3) reported at admission from primary, secondary, and tertiary substances of abuse (SUB1, SUB2 and SUB3).

Value	Unweighted Frequency	%	Valid %
0	40154	2.6 %	2.6%
1	753998	48.7 %	48.7%
2	450617	29.1 %	29.1%
3	303984	19.6 %	19.6%

Based upon 1548753 valid cases out of 1548753 total cases.

IDU CURRENT IV DRUG USE REPORTED AT ADM.

Location: 91-92 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8
 Question: Flags record if injection was reported as primary, secondary, or tertiary route of administration.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO IDU REPORTED	1308989	84.5 %	86.8%
1	IDU REPORTED	199646	12.9 %	13.2%
-8 (M)	NO SUBSTANCES REPORTED	40118	2.6 %	-

Based upon 1508635 valid cases out of 1548753 total cases.

ALCFLG ALCOHOL REPORTED AT ADM.

Location: 93-93 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Flags record if alcohol was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	347054	22.4 %	22.4%
1	SUBSTANCE REPORTED	1201699	77.6 %	77.6%

Based upon 1548753 valid cases out of 1548753 total cases.

COKEFLG COCAINE/CRACK REPORTED AT ADM.

Location: 94-94 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Flags record if cocaine or crack was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1008490	65.1 %	65.1%
1	SUBSTANCE REPORTED	540263	34.9 %	34.9%

Based upon 1548753 valid cases out of 1548753 total cases.

MARFLG MARIJUANA/HASHISH REPORTED AT ADM.

Location: 95-95 (width: 1; decimal: 0)
 Variable Type: numeric
 Question: Flags record if marijuana or hashish were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1133113	73.2 %	73.2%
1	SUBSTANCE REPORTED	415640	26.8 %	26.8%

Based upon 1548753 valid cases out of 1548753 total cases.

HERFLG HEROIN REPORTED AT ADM.

Location: 96-96 (width: 1; decimal: 0)
 Variable Type: numeric

Question: Flags record if heroin was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1338104	86.4 %	86.4%
1	SUBSTANCE REPORTED	210649	13.6 %	13.6%

Based upon 1548753 valid cases out of 1548753 total cases.

METHFLG NON-RX METHADONE REPORTED AT ADM.

Location: 97-97 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if non-prescription methadone was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1542534	99.6 %	99.6%
1	SUBSTANCE REPORTED	6219	0.4 %	0.4%

Based upon 1548753 valid cases out of 1548753 total cases.

OPSYNFLG OTHER OPIATES/SYNTHETICS REPORTED AT ADM.

Location: 98-98 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other opiates or synthetics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1521100	98.2 %	98.2%
1	SUBSTANCE REPORTED	27653	1.8 %	1.8%

Based upon 1548753 valid cases out of 1548753 total cases.

PCPFLG PCP REPORTED AT ADM.

Location: 99-99 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if PCP was reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1540124	99.4 %	99.4%
1	SUBSTANCE REPORTED	8629	0.6 %	0.6%

Based upon 1548753 valid cases out of 1548753 total cases.

HALLFLG OTHER HALLUCINOGENS REPORTED AT ADM.

Location: 100-100 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other hallucinogens were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1526278	98.5 %	98.5%
1	SUBSTANCE REPORTED	22475	1.5 %	1.5%

Based upon 1548753 valid cases out of 1548753 total cases.

MTHAMFLG METHAMPHETAMINE REPORTED AT ADM.

Location: 101-101 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if methamphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1517364	98.0 %	98.0%
1	SUBSTANCE REPORTED	31389	2.0 %	2.0%

Based upon 1548753 valid cases out of 1548753 total cases.

AMPHFLG OTHER AMPHETAMINES REPORTED AT ADM.

Location: 102-102 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other amphetamines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1524091	98.4 %	98.4%
1	SUBSTANCE REPORTED	24662	1.6 %	1.6%

Based upon 1548753 valid cases out of 1548753 total cases.

STIMFLG OTHER STIMULANTS REPORTED AT ADM.

Location: 103-103 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other stimulants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1542946	99.6 %	99.6%
1	SUBSTANCE REPORTED	5807	0.4 %	0.4%

Based upon 1548753 valid cases out of 1548753 total cases.

BENZFLG BENZODIAZEPINES REPORTED AT ADM.

Location: 104-104 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if benzodiazepines were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1534146	99.1 %	99.1%
1	SUBSTANCE REPORTED	14607	0.9 %	0.9%

Based upon 1548753 valid cases out of 1548753 total cases.

TRNQFLG OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.

Location: 105-105 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other non-benzodiazepine tranquilizers were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1539312	99.4 %	99.4%
1	SUBSTANCE REPORTED	9441	0.6 %	0.6%

Based upon 1548753 valid cases out of 1548753 total cases.

BARBFLG BARBITURATES REPORTED AT ADM.

Location: 106-106 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if barbiturates were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1540775	99.5 %	99.5%
1	SUBSTANCE REPORTED	7978	0.5 %	0.5%

Based upon 1548753 valid cases out of 1548753 total cases.

SEDHPFLG OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.

Location: 107-107 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other non-barbiturate sedatives or hypnotics were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1540179	99.4 %	99.4%
1	SUBSTANCE REPORTED	8574	0.6 %	0.6%

Based upon 1548753 valid cases out of 1548753 total cases.

INHFLG INHALANTS REPORTED AT ADM.

Location: 108-108 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if inhalants were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1541645	99.5 %	99.5%
1	SUBSTANCE REPORTED	7108	0.5 %	0.5%

Based upon 1548753 valid cases out of 1548753 total cases.

OTCFLG OVER-THE-COUNTER MEDICATION REPORTED AT ADM.

Location: 109-109 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if over-the-counter medications were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1546105	99.8 %	99.8%
1	SUBSTANCE REPORTED	2648	0.2 %	0.2%

Based upon 1548753 valid cases out of 1548753 total cases.

OTHERFLG OTHER DRUG REPORTED AT ADM.

Location: 110-110 (width: 1; decimal: 0)

Variable Type: numeric

Question: Flags record if other substances were reported as the primary, secondary, or tertiary substance of abuse at the time of admission.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SUBSTANCE NOT REPORTED	1537915	99.3 %	99.3%
1	SUBSTANCE REPORTED	10838	0.7 %	0.7%

Based upon 1548753 valid cases out of 1548753 total cases.

ALCDRUG SUBSTANCE ABUSE TYPE

Location: 111-112 (width: 2; decimal: 0)

Variable Type: numeric

Question: Classifies client's substance abuse type as alcohol only, other drugs only, alcohol and other drugs, or none. This variable looks across primary, secondary, and tertiary substances of abuse reported at the time of admission to treatment.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	40154	2.6 %	2.6%
1	ALCOHOL ONLY	576941	37.3 %	37.3%
2	OTHER DRUGS ONLY	306900	19.8 %	19.8%
3	ALCOHOL AND OTHER DRUGS	624758	40.3 %	40.3%

Based upon 1548753 valid cases out of 1548753 total cases.

DSMCRIT DSM DIAGNOSIS

Location: 113-114 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question:

The diagnosis of the substance abuse problem from the American Psychiatric Association's Diagnostic and Statistical Manual of Mental Disorders. DSM IV is preferred, but use of the third Edition, or ICD codes is permissible. If the DSM IV is not used, the state must specify the coding system in the state crosswalk.

The discrete diagnosis codes have been recoded into categories related to abuse of and dependence on specific substances, mental health conditions, and other conditions.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO DIAGNOSIS	1026	0.1 %	0.3%
1	ALCOHOL-INDUCED DISORDER	2651	0.2 %	0.8%
2	SUBSTANCE-INDUCED DISORDER	1736	0.1 %	0.5%
3	ALCOHOL INTOXICATION	46083	3.0 %	13.7%
4	ALCOHOL DEPENDENCE	91485	5.9 %	27.2%
5	OPIOID DEPENDENCE	39316	2.5 %	11.7%
6	COCAINE DEPENDENCE	34130	2.2 %	10.1%
7	CANNABIS DEPENDENCE	7254	0.5 %	2.2%
8	OTHER SUBSTANCE DEPENDENCE	15106	1.0 %	4.5%
9	ALCOHOL ABUSE	45551	2.9 %	13.5%
10	CANNABIS ABUSE	5735	0.4 %	1.7%
11	OTHER SUBSTANCE ABUSE	13132	0.8 %	3.9%
12	OPIOID ABUSE	694	0.0 %	0.2%
13	COCAINE ABUSE	12657	0.8 %	3.8%
14	ANXIETY DISORDERS	234	0.0 %	0.1%
15	DEPRESSIVE DISORDERS	1221	0.1 %	0.4%
16	SCHIZOPHRENIA / OTHER PSYCHOTIC DISORDERS	556	0.0 %	0.2%
17	BIPOLAR DISORDERS	225	0.0 %	0.1%
18	ATTENTION DEFICIT / DISRUPTIVE BEHAVIOR DISORDERS	554	0.0 %	0.2%
19	OTHER MENTAL HEALTH CONDITION	2771	0.2 %	0.8%
20	OTHER CONDITION	14182	0.9 %	4.2%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1212454	78.3 %	-

Based upon 336299 valid cases out of 1548753 total cases.

PSYPROB PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM

Location: 115-116 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Indicates whether the client has a psychiatric problem in addition to his or her alcohol or drug use problem.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	YES	95750	6.2 %	11.0%
2	NO	773348	49.9 %	89.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	679655	43.9 %	-

Based upon 869098 valid cases out of 1548753 total cases.

HLTHINS HEALTH INSURANCE

Location: 117-118 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Specifies the client's health insurance (if any). The insurance may or may not cover alcohol or drug treatment.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	PRIVATE INSURANCE, BC/BS, HMO	117303	7.6 %	16.5%
2	MEDICAID	86631	5.6 %	12.2%
3	MEDICARE, OTHER (E.G. TRICARE, CHAMPUS)	52301	3.4 %	7.3%
4	NONE	455379	29.4 %	64.0%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	837139	54.1 %	-

Based upon 711614 valid cases out of 1548753 total cases.

PRIMPAY EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT

Location: 119-120 (width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9
 Question: Identifies the primary source of payment for this treatment episode.

Guidelines: States operating under a split payment fee arrangement between multiple payment sources are to default to the payment source with the largest percentage. When payment percentages are equal, the State can select either source.

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	SELF-PAY	155442	10.0 %	36.8%
2	BLUE CROSS/BLUE SHIELD, OTHER HEALTH INSURANCE COMPANIES	42451	2.7 %	10.0%

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	MEDICARE, WORKER'S COMPENSATION	4980	0.3 %	1.2%
4	MEDICAID	46121	3.0 %	10.9%
5	OTHER GOVERNMENT PAYMENTS	78526	5.1 %	18.6%
8	NO CHARGE (FREE, CHARITY, SPECIAL RESEARCH, TEACHING)	68114	4.4 %	16.1%
9	OTHER	27334	1.8 %	6.5%
-9 (M)	MISSING/UNKNOWN/NOT COLLECTED/INVALID	1125785	72.7 %	-

Based upon 422968 valid cases out of 1548753 total cases.

APPENDIX

APPENDIX A

TEDS-A Variable Information (Alphabetical Order)

<u>Variable</u>	<u>Source</u> ³	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
AGE	MDS	Num	2	13	14	AGE (RECODED)
ALCDRUG	Added	Num	2	111	112	SUBSTANCE ABUSE TYPE
ALCFLG	Added	Num	1	93	93	ALCOHOL REPORTED AT ADM.
AMPHFLG	Added	Num	1	102	102	OTHER AMPHETAMINES REPORTED AT ADM.
BARBFLG	Added	Num	1	106	106	BARBITURATES REPORTED AT ADM.
BENZFLG	Added	Num	1	104	104	BENZODIAZEPINES REPORTED AT ADM.
CASEID	Added	Num	8	1	8	CASE IDENTIFICATION NUMBER
CBSA	Added	Num	5	39	43	FIPS 2000 CBSA CODE
COKEFLG	Added	Num	1	94	94	COCAINE/CRACK REPORTED AT ADM.
DAYWAIT	SuDS	Num	3	56	58	DAYS WAITING TO ENTER TREATMENT
DETCRIM	SuDS	Num	2	61	62	DETAILED CRIMINAL JUSTICE REFERRAL
DET NFL	SuDS	Num	2	27	28	DETAILED 'NOT IN LABOR FORCE' CATEGORY
DIVISION	Added	Num	2	50	51	CENSUS DIVISION
DSMCRIT	SuDS	Num	2	113	114	DSM DIAGNOSIS
EDUC	MDS	Num	2	23	24	EDUCATION
EMPLOY	MDS	Num	2	25	26	EMPLOYMENT STATUS
ETHNIC	MDS	Num	2	19	20	ETHNICITY (HISPANIC ORIGIN)
FREQ1	MDS	Num	2	69	70	FREQUENCY OF USE (PRIMARY)

³ MDS = Minimum Data Set

SuDS = Supplemental Data Set

Added = Variable Added to TEDS

<u>Variable</u>	<u>Source</u> ³	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
FREQ2	MDS	Num 2	77	78		FREQUENCY OF USE (SECONDARY)
FREQ3	MDS	Num 2	85	86		FREQUENCY OF USE (TERTIARY)
FRSTUSE1	MDS	Num 2	71	72		AGE AT FIRST USE (PRIMARY)
FRSTUSE2	MDS	Num 2	79	80		AGE AT FIRST USE (SECONDARY)
FRSTUSE3	MDS	Num 2	87	88		AGE AT FIRST USE (TERTIARY)
GENDER	MDS	Num 2	15	16		SEX
HALLFLG	Added	Num 1	100	100		OTHER HALLUCINOGENS REPORTED AT ADM.
HERFLG	Added	Num 1	96	96		HEROIN REPORTED AT ADM.
HLTHINS	SuDS	Num 2	117	118		HEALTH INSURANCE
IDU	Added	Num 2	91	92		CURRENT IV DRUG USE REPORTED AT ADM.
INHFLG	Added	Num 1	108	108		INHALANTS REPORTED AT ADM.
LIVARAG	SuDS	Num 2	33	34		LIVING ARRANGEMENT
MARFLG	Added	Num 1	95	95		MARIJUANA/HASHISH REPORTED AT ADM.
MARSTAT	SuDS	Num 2	21	22		MARITAL STATUS
METHFLG	Added	Num 1	97	97		NON-RX METHADONE REPORTED AT ADM.
METHUSE	MDS	Num 2	54	55		MEDICATION-ASSISTED OPIOID THERAPY
MTHAMFLG	Added	Num 1	101	101		METHAMPHETAMINE REPORTED AT ADM.
NOPRIOR	MDS	Num 2	63	64		NUMBER OF PRIOR TREATMENT EPISODES
NUMSUBS	Added	Num 2	89	90		NUMBER OF SUBSTANCES REPORTED AT ADM.
OPSYNFLG	Added	Num 1	98	98		OTHER OPIATES/SYNTHETICS REPORTED AT ADM.
OTCFLG	Added	Num 1	109	109		OVER-THE-COUNTER MEDICATION REPORTED AT ADM.
OTHERFLG	Added	Num 1	110	110		OTHER DRUG REPORTED AT ADM.
PCPFLG	Added	Num 1	99	99		PCP REPORTED AT ADM.

<u>Variable</u>	<u>Source</u> ³	<u>Type</u>	<u>Len</u>	<u>Start</u>	<u>End</u>	<u>Label</u>
PMSA	Added	Num 4	44	47		FIPS 1990 MSA CODE
PREG	SuDS	Num 2	29	30		PREGNANT AT TIME OF ADMISSION
PRIMINC	SuDS	Num 2	35	36		SOURCE OF INCOME/SUPPORT
PRIMPAY	SuDS	Num 2	119	120		EXPECTED/ACTUAL PRIMARY SOURCE OF PAYMENT
PSOURCE	MDS	Num 2	59	60		PRINCIPAL SOURCE OF REFERRAL
PSYPROB	SuDS	Num 2	115	116		PSYCHIATRIC PROBLEM IN ADDITION TO ALCOHOL/DRUG PROBLEM
RACE	MDS	Num 2	17	18		RACE
REGION	Added	Num 2	48	49		CENSUS REGION
ROUTE1	MDS	Num 2	67	68		USUAL ROUTE OF ADMINISTRATION (PRIMARY)
ROUTE2	MDS	Num 2	75	76		USUAL ROUTE OF ADMINISTRATION (SECONDARY)
ROUTE3	MDS	Num 2	83	84		USUAL ROUTE OF ADMINISTRATION (TERTIARY)
SEDHPFLG	Added	Num 1	107	107		OTHER NON-BARBITURATE SEDATIVES/HYPNOTICS REPORTED AT ADM.
SERVSETA	MDS	Num 2	52	53		SERVICE SETTING AT ADMISSION
STFIPS	Added	Num 2	37	38		CENSUS STATE FIPS CODE
STIMFLG	Added	Num 1	103	103		OTHER STIMULANTS REPORTED AT ADM.
SUB1	MDS	Num 2	65	66		SUBSTANCE PROBLEM CODE (PRIMARY)
SUB2	MDS	Num 2	73	74		SUBSTANCE PROBLEM CODE (SECONDARY)
SUB3	MDS	Num 2	81	82		SUBSTANCE PROBLEM CODE (TERTIARY)
TRNQFLG	Added	Num 1	105	105		OTHER NON-BENZODIAZEPINE TRANQUILIZERS REPORTED AT ADM.
VET	SuDS	Num 2	31	32		VETERAN STATUS
YEAR	Added	Num 4	9	12		YEAR OF ADMISSION

APPENDIX B

Variable Recode Table

Variable	Original Codes (original percentage)	Recodes
AGE Age (Recoded)	Continuous (12-99)	12-14 15-17 18-20 21-24 25-29 30-34 35-39 40-44 45-49 50-54 55 and Over
MARSTAT Marital Status	1 Never Married (49.6%) 2 Now Married (21.5%) 3 Separated (8.5%) 4 Divorced (18.5%) 5 Widowed (2.0%)	1 Never Married 2 Now Married 3 Separated 4 Divorced, Widowed
EDUC Education	Continuous 0-25	1 8 Years or Less 2 9-11 3 12 4 13-15 5 16 or More

Variable	Original Codes (original percentage)	Recodes
DET NFL Detailed 'Not in Labor' Force	1 Homemaker (9.8%) 2 Student (21.3%) 3 Retired (2.9%) 4 Disabled (17.9%) 5 Inmate of Institution (6.1%) 6 Other (41.9%)	1 Homemaker 2 Student 3 Retired, Disabled 5 Inmate of Institution 6 Other
PRIM INC Source of Income / Support	1 Wages/Salary (38.7%) 2 Public Assistance (21.4%) 3 Retirement/Pension (1.1%) 4 Disability (3.7%) 20 Other (18.4%) 21 None (16.7%)	1 Wages/Salary 2 Public Assistance 3 Retirement/Pension, Disability 20 Other 21 None
PMSA FIPS 1990 MSA Code CBSA FIPS 2000 CBSA Code	Census PMSA, CBSA geographic codes	Codes for undesignated area and missing data combined into a single specification. When either PMSA or CBSA describes a population less than 100,000, or one of the codes falls into the combined missing category, records are recoded into: "UNDESIGNATED AREA /MISSING/ UNKNOWN/NOT COLLECTED/ INVALID"
DET CRIM Detailed Criminal Justice Referral	1 State/Federal Court (17.2%) 2 Other Court (4.2%) 3 Probation/Parole (34.1%) 4 Other Recognized Legal Entity (9.9%) 5 Diversionary Program (3.3%) 6 Prison (4.1%) 7 DUI/DWI (23.9%) 8 Other (3.4%)	1 State/Federal Court, Other Court 3 Probation/Parole 5 Diversionary Program 6 Prison 7 DUI/DWI 8 Other Recognized Legal Entity, Other

Variable	Original Codes (original percentage)	Recodes
HLTHINS Health Insurance	1 Private Insurance (Other Than BC/BS or HMO) (9.6%) 2 Blue Cross / Blue Shield (BC/BS) (4.3%) 3 Medicare (1.7%) 4 Medicaid (12.2%) 6 Health Maintenance Organization (HMO) (2.6%) 20 Other (e.g. TriCare, Champus) (5.6%) 21 None (64.0%)	1 Private Insurance, BC/BS, HMO 2 Medicaid 3 Medicare/Other (e.g. Tricare, Champus) 4 None
PRIMPAY Expected/Actual Payment Source of Payment	1 Self-Pay (36.7%) 2 Blue Cross / Blue Shield (2.8%) 3 Medicare (1.1%) 4 Medicaid (10.9%) 5 Other Government Payments (18.6%) 6 Worker's Compensation (<1%) 7 Other Health Insurance Companies (7.2%) 8 No charge (Free, Charity, Special Research or Teaching) (16.1%) 9 Other (6.5%)	1 Self-Pay 2 Blue Cross / Blue Shield, Other Health Insurance Companies 3 Medicare, Worker's Compensation 4 Medicaid 5 Other Government Payments 8 No charge (Free, Charity, Special Research or Teaching) 9 Other
FRSTUSE1 Age at First Use (Primary)	Continuous (0-99)	11 and Under 12-14 15-17 18-20
FRSTUSE2 Age at First Use (Secondary)		21-24 25-29 30-34 35-39
FRSTUSE3 Age at First Use (Tertiary)		40-44 45-49 50-54 55 and Over

Variable	Original Codes (original percentage)	Recodes
DSMCRIT	0.00	0 No Diagnosis
DSM Diagnosis	291.00 – 291.99	1 Alcohol-Induced Disorder
	292.00 – 292.99	2 Substance-Induced Disorder
	303.00 – 303.89	3 Alcohol Intoxication
	303.90 – 303.99	4 Alcohol Dependence
	304.00 – 304.09	5 Opioid Dependence
	304.20 – 304.29	6 Cocaine Dependence
	304.30 – 304.39	7 Cannabis Dependence
	304.10 – 304.19, 304.40 – 304.99, 305.10 – 305.19	8 Other Substance Abuse Dependence
	305.00 – 305.09	9 Alcohol Abuse
	305.20 – 305.29	10 Cannabis Abuse
	305.30 – 305.49, 305.70 – 305.99	11 Other Substance Abuse
	305.50 – 305.59	12 Opioid Abuse
	305.60 – 305.69	13 Cocaine Abuse
	293.89, 300.00 – 300.02, 300.21 – 300.23, 300.29 – 300.39, 308.30 – 308.39, 309.81	14 Anxiety Disorders
	296.20 – 296.39, 300.40 – 300.49, 311.00 – 311.09	15 Depressive Disorders
	293.81 – 293.82, 295.00 – 295.99, 297.10 – 297.19, 297.30 – 297.39, 298.80 – 298.89, 298.90 – 298.99	16 Schizophrenic / Other Psychotic Disorders
	296.00 – 296.09, 296.40 – 296.79, 296.80, 296.89, 301.13	17 Bipolar Disorders
	312.80 – 312.81, 312.90 – 312.99, 313.81, 314.00 – 314.01, 314.90 – 314.99	18 Attention Deficit / Disruptive Behavior Disorders
	All other codes	19 Other Mental Health Condition
	.01 – 289.99, 320 – 997.99, V-codes, E-codes	20 Other Condition
999.97 – 999.99	-9 Missing	

APPENDIX C: STATE REPORTING OF TEDS MINIMUM DATASET VARIABLES

Items collected/not-collected by State: TEDS Minimum Data Set 1992																						
"Y" = Collected, "--" = Not collected																						
Based on administrative data reported to TEDS by 47 reporting States, and Puerto Rico; Arizona, D.C., Kentucky, and Mississippi did not report any data; Revised per 05/11/04 data extract																						
State or jurisdiction	Prior trtmt	Referral	Age	Sex	Race	Ethnicity	Education	Employment	Primary substance				Secondary substance				Tertiary substance				Service	Methadone
									Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use		
ALL ADMISSIONS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
ALABAMA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
ALASKA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
ARIZONA	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
ARKANSAS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	--	--	Y	
CALIFORNIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	--	--	Y	
COLORADO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
CONNECTICUT	--	Y	Y	Y	Y	Y	Y	Y	Y	--	--	Y	Y	--	--	Y	Y	--	--	Y	Y	
DELAWARE	--	Y	Y	Y	Y	Y	Y	Y	Y	--	--	--	Y	--	--	--	--	--	--	--	Y	
DIST OF COLUMBIA	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
FLORIDA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
GEORGIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
HAWAII	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
IDAHO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
ILLINOIS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y	Y	--	Y	
INDIANA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
IOWA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
KANSAS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
KENTUCKY	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
LOUISIANA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
MAINE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
MARYLAND	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
MASSACHUSETTS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
MICHIGAN	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
MINNESOTA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	
MISSISSIPPI	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	

Items collected/not-collected by State: TEDS Minimum Data Set 1992

"Y" = Collected, "--" = Not collected

Based on administrative data reported to TEDS by 47 reporting States, and Puerto Rico; Arizona, D.C., Kentucky, and Mississippi did not report any data;

Revised per 05/11/04 data extract

State or jurisdiction	Prior trtmt	Referral	Age	Sex	Race	Ethnicity	Education	Employment	Primary substance				Secondary substance				Tertiary substance				Service	Methadone	
									Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use	Subst	Rte	Freq	Age 1st use			
MISSOURI	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
MONTANA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--
NEBRASKA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEVADA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW HAMPSHIRE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW JERSEY	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW MEXICO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW YORK	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NORTH CAROLINA	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NORTH DAKOTA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OHIO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OKLAHOMA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OREGON	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
PENNSYLVANIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
PUERTO RICO	Y	Y	Y	Y	--	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--
RHODE ISLAND	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
SOUTH CAROLINA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	--	--	Y	Y	Y	Y
SOUTH DAKOTA	Y	Y	Y	Y	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
TENNESSEE	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
TEXAS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
UTAH	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
VERMONT	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
VIRGINIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WASHINGTON	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WEST VIRGINIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WISCONSIN	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WYOMING	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y

APPENDIX D: STATE REPORTING OF TEDS SUPPLEMENTAL DATA SET VARIABLES

Items collected/not-collected by State: TEDS Supplemental Data Set 1992												
"Y" = Collected, "--" = Not collected												
Based on administrative data reported to TEDS by 47 reporting States, and Puerto Rico; Arizona, D.C., Kentucky, and Mississippi did not report any data; Revised per 05/11/04 data extract												
<i>State or jurisdiction</i>	<i>DSM diagnosis</i>	<i>Psychiatric problem</i>	<i>Pregnant</i>	<i>Veteran</i>	<i>Living arrangement</i>	<i>Income source</i>	<i>Health insurance</i>	<i>Payment source</i>	<i>Detailed not-in-labor-force</i>	<i>Detailed criminal justice referral</i>	<i>Marital status</i>	<i>Days waiting for treatment</i>
ALL ADMISSIONS	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
ALABAMA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--
ALASKA	Y	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y
ARIZONA	--	--	--	--	--	--	--	--	--	--	--	--
ARKANSAS	--	--	--	--	--	--	Y	--	--	--	Y	--
CALIFORNIA	--	Y	Y	--	--	--	--	--	--	--	--	--
COLORADO	--	Y	Y	Y	Y	--	Y	Y	--	Y	Y	Y
CONNECTICUT	--	--	Y	--	--	--	--	--	--	--	--	--
DELAWARE	--	--	--	--	--	Y	Y	Y	Y	--	Y	--
DIST OF COLUMBIA	--	--	--	--	--	--	--	--	--	--	--	--
FLORIDA	Y	Y	Y	Y	Y	Y	Y	--	--	Y	Y	Y
GEORGIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
HAWAII	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
IDAHO	--	Y	Y	Y	Y	Y	Y	Y	--	--	Y	Y
ILLINOIS	Y	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
INDIANA	--	--	Y	Y	Y	--	--	--	--	Y	Y	--
IOWA	--	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	Y
KANSAS	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
KENTUCKY	--	--	--	--	--	--	--	--	--	--	--	--
LOUISIANA	Y	Y	Y	Y	Y	Y	--	Y	Y	--	Y	Y
MAINE	--	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--
MARYLAND	--	Y	Y	--	Y	Y	Y	--	Y	Y	Y	--
MASSACHUSETTS	--	Y	Y	Y	Y	--	Y	--	--	Y	Y	--
MICHIGAN	Y	Y	Y	Y	Y	--	Y	--	Y	--	Y	--
MINNESOTA	--	--	Y	Y	Y	Y	Y	--	Y	--	Y	--
MISSISSIPPI	--	--	--	--	--	--	--	--	--	--	--	--

Items collected/not-collected by State: TEDS Supplemental Data Set 1992

"Y" = Collected, "--" = Not collected

Based on administrative data reported to TEDS by 47 reporting States, and Puerto Rico; Arizona, D.C., Kentucky, and Mississippi did not report any data;
Revised per 05/11/04 data extract

<i>State or jurisdiction</i>	<i>DSM diagnosis</i>	<i>Psychiatric problem</i>	<i>Pregnant</i>	<i>Veteran</i>	<i>Living arrangement</i>	<i>Income source</i>	<i>Health insurance</i>	<i>Payment source</i>	<i>Detailed not-in-labor-force</i>	<i>Detailed criminal justice referral</i>	<i>Marital status</i>	<i>Days waiting for treatment</i>
MISSOURI	--	Y	Y	Y	Y	Y	Y	Y	Y	--	Y	--
MONTANA	--	--	Y	--	Y	--	Y	--	--	--	--	Y
NEBRASKA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	--
NEVADA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW HAMPSHIRE	--	Y	Y	--	Y	--	Y	Y	--	Y	Y	Y
NEW JERSEY	--	Y	Y	--	Y	--	Y	Y	--	Y	Y	--
NEW MEXICO	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
NEW YORK	--	Y	Y	Y	Y	Y	--	--	Y	Y	Y	--
NORTH CAROLINA	Y	--	Y	Y	Y	--	--	Y	--	--	Y	--
NORTH DAKOTA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
OHIO	Y	Y	Y	--	Y	Y	--	Y	Y	Y	Y	Y
OKLAHOMA	Y	Y	Y	Y	Y	--	--	Y	--	--	Y	--
OREGON	--	--	Y	--	Y	--	Y	--	Y	Y	Y	--
PENNSYLVANIA	--	--	Y	Y	--	Y	Y	Y	Y	Y	Y	--
PUERTO RICO	--	--	--	--	--	--	--	--	--	--	--	--
RHODE ISLAND	--	Y	--	--	Y	Y	--	Y	--	Y	Y	--
SOUTH CAROLINA	Y	Y	--	Y	--	--	--	--	Y	Y	Y	--
SOUTH DAKOTA	Y	--	Y	Y	Y	Y	Y	Y	--	--	Y	--
TENNESSEE	Y	Y	--	Y	Y	--	--	--	Y	--	Y	--
TEXAS	--	--	--	--	Y	--	Y	--	Y	Y	Y	--
UTAH	--	Y	Y	--	Y	--	--	--	--	--	--	Y
VERMONT	Y	--	Y	--	Y	--	--	Y	--	--	--	--
VIRGINIA	Y	Y	Y	Y	Y	Y	--	Y	Y	--	Y	--
WASHINGTON	--	Y	Y	Y	Y	--	--	--	--	--	Y	--
WEST VIRGINIA	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y
WISCONSIN	--	--	Y	--	--	--	--	--	--	--	--	--
WYOMING	Y	--	--	Y	--	--	--	--	Y	--	Y	Y